ACUTE DISEASES. DAKE.

OMOEOPATHIC PHARMACY CLEVELAND, O

THE ABNER WELLBORN CALHOUN MEDICAL LIBRARY 1923




CLASS	

Воок___

PRESENTED BY

M. 13 Lukens E. C. Ofin 20 187 7 to May 20th 1876 Oleveland 774 Doan Sh 1883







ACUTE DISEASES,

AND THEIR

HOMEOPATHIC TREATMENT.

ALSO,

DIRECTIONS . FOR THE TREATMENT OF INJURIES RECEIVED

BY ACCIDENTS AND FROM POISONS.

BY J. P. DAKE, A.M., M.D.,

Formerly Professor of Materia Medica and Therapeutics in the Pennsylvania College of Homœopathic Medicine, at Philadelphia,

Second Jamily Edition,

CAREFULLY REVISED AND ENLARGED.

NASHVILLE:
WILLIAM GAMBLE & CO.,
46 UNION STREET.

GIFT DR. BUNCE 30/11/42

Entered, according to Act of Congress, in the year 1859, by J. P. DAKE, M.D.,

In the Clerk's office of the District Court of the United States for the Western District of the State of Pennsylvania.

SOUTHERN METHODIST PUBLISHING HOUSE, NASHVILLE, TENN.

INDEX.

Accidents	PAGE
ACCIDENTS	
Acids, poisoning from	127
Airconoi,	128
Alkalies, " "	128
Arsenic, " "	128
Apoplexy	86
Asthma	30
Bilious Fever	
Bilious Fever	75
Bites, poisonous	120
Bladder, inflammation	41
	103
Bleeding, wounds	124
Blood, spitting	33
Blood, spitting	46
Boils	82
Bones, dislocated	123
Bones, fractured	124
Bowels, inflamed	40
Bowels, constipated	100
Brain, concussion	121
Brain, congestion	86
Brain, inflammation	86
Broken Bones	124
Bruises	122
Burns	
Breasts, engorged	118
Breasts, sore	106
Dreasts, Sore	107
Bronchitis	33
(1	
Carbuncle	83
Catarrh in Hood	
Catambal Canab	19
Catarrhal Cough	27
Catarrhal Fever	25
Chicken-pox	59
Chilblain	117
Chill from Cold	17
Chill in Confinement	105
Chill, congestive	75
Chills and Feyer	72
Cholera	47

1	RAFE
Captors InSertim	44
Charles Martin	41
Odie familiat	58
Cole, penstruid	DAT
Parameters	323
Consequence of Boxels	100
Contractions	122
Correlators	300
Cauch, ostarrial	00
Court, from Lanes	32
Course from Terror	-000
Dearth, from Statusch,	111
Consensus Themas	95
Greenwallers, Classic and Control of the Control of	32
Creup	OT.
Crying of Tablata	34
Ditta.	725
Crosmon of Infarity	0.0
Cold, in Heid and an arrangement of the second	23
The state of the s	
D	100
Delay of Mented a	Tio
Dellinon Premana	140
Diarries	55
16pilligith	123
Dissenting of Boson	250
Dyspepsia (Heuristen) accommon	110
Bearing	210
Drapig	721
Diet	33
I Dorse	12
Dysigott	-45
	-
E	- 22
Enacte	10
Ear suchange	- IK
Effects of Brot a	TIN
Emelomes Inte	120
Erysipein's comme	200
Pares, sufficient	- 307
Riccogod Scends	106
25	
No. Washington	96
Face, Erysipolas	30
Fire Neuralges	iii
Print	54
Tellin - III	

INDEX.

	ADE
Pewer, externial	155
Pieter, Lillians	76
Peyer, intermittent, (Chili)	25
Ferret, simple	32
Person scarlet	153
Forer yellor	25
Ferra indust	37
Florage	TOL
Practures of Bones	194
Problide	112
75	un
Phia (Investory)	400
Committee of the Commit	
G	
Guest potential	Tra
Envil	140
Graps, or tidenmin	19
H	
Berdyde	:00
Head being a	153
Bead, concession	30
Head, wild in	1114
Heart of recom-	100
Hearten.	793
Hear of the control o	110
Bed emere	136
Demontrage, ittellies	inc
Description policiestry	100
Heatterfuge, words	310
Benerrheids (Piles)	310
History	35
Hernia (Ruptury)	170
Hammitodonia i management and a second	440
I	
Indiposion	19
infate erritz	:59-
Infants, shriplett	150
Delites Dealing.	35
Independent of Bladfor	AT
u. · Powell	F0.
# Experience management	65
a rive	580
* Edge	拜
" Xidisas	61
P H GHH	137
5 * Jinsab	128
n Barnessen	109

INDEX.

	THE
Tuttern stop of Brown Commission	
10 0 Pro-	uni
Tudamentory Birmonton	199
following	79
Jacob, https://en.	
1000 to the second seco	
Datormittoni, Forer	120
K	
Kilmoni, inframencion K	AI.
districts pair in	142
T ₁	
Lagranted Workship	195
Lishining, sockoof	114
Liver, inflammation	221
Large Desiring	202
Lunga, bulletimates	-22
Liquits, printuges draws	128
M	
Marin Potts	110
Mad Dig. tite of	120
Meades	
Menses Sollying	THE
Manual too free	
Menses, beneatly-generalized	389
Memory appropriat	198
Minus, painful (Cole)	26
Marine Transfer of the Control of th	110
Mallime	2.5
N	
Settle Bash	
Neonigus in Pisto	94
Samiga at Best	1/2
Name, sixt in-	23
Same	7155
Sipoles-sere interession	100
	-444
Edes	56
Pelpontlen	20
Paralysis	-00
Chief.	100
Pietricip	100
Proceeding	1177
Pastmirm	122

Quarty Sors Thront Q	TAGE
D.	
Rhemmiten Remitlent Force	70
Rupturis	100
v. 14. S	140
Balds	118
Search Fover	1100
Single Fevera	17
Small-pox.	-60
Som Ylmot	
Spitting Blood	
Size Supples	. 207
Spanie	
Spring	122
Stings of In-note.	110
Support, Inflammatory	. H
Stroke of Lightman	
Sufficiation	
Superola	
Suppression, Menses	
10 5	
The state of the s	-
Terhite	. 93
Years offers	20
Thros: Diphtoria e-	23
Typhosi Ferri	11
111-seld all all all all all all all all all a	
V	
Vernicup (Cholem Merica)	
Variotisi	. 62
W	
Waterbeath	. 08
Whitliam	- 94
Whenpurconglina	- 91
Transfer from the commence of	
32	
Vollag Phase	100

INTRODUCTION.

I mayn often been asked to prescribe the remedier and measures most expedient in cases of illness occurring beyond the current of my ride, so that of any other homospathin physician, and in which delay of treatment might be very dangerous: I have, from time to time, recommended the heat works on Domestic Hameopathic Practice, and have frequently heard the complaint that, treating of Chronic as well as Acute Diseases, they were too voluments, or, where shridged, we limited to give readily and clearly the information desired in urgent cases: I have therefore determined, for my own patrons, and solver who may dealer it, to prepure the following little treatise, with separal refstento to such forms of Acuto Diseaso as and Very little description and very few remedies, and they of the most reliable character. I have entered upon this work with the follow appreciation of the fact that dissum are not surrowyped-ace done up in definite shapes, so that outs ran to labeled, and have its specific roundy attached. As the beares of the force), or care of thomas vary; seldem can

two is build which are just alike. Hance the necessity for the individualization of every case, and a reliance solely upon symptoms, as advocated by Hamsumann; and hance, also, the necessity of a general line of care such as he was permitted to discover. Experience, learning, and genus, alike and all, fail in the offert to reach forward, in the treatment of forms of disease which are now, unless guided by a present principle, and by the particular symptoms manifested by those new forms. Emperical and theoretical practice both, therefore, ognally fail, and next ultimately be supplanted by the Hemmopathic.

What shall I say, then, to you who, without medical observior, or a knowledge of our therapouts law, take the little book and attempt to most the most abruring salments that field is increase; rouspars cloudy the symptoms of the case with the industries given for the various remedies prescribed; then be exact in the proparation and administration of the done. Let not your haste lead you not mistakes. And finally, to not us confident but send for preferenced aid when within resolution of the flow total maledan began middly, and on pass lay and all centrals.

The motival man will observe that I have endesveced to present, in every row, only those remadms which have been aften successfully employed. Having the wish to give but five, and thus to adapt the both and case to the expedity and decountances of all, I have been compelled to omit many remades which I frequently employ.

J. P. D.

Personal of Line.

SECOND EDITION.

The first edition of my little work being entirely exhausted, and to most an organi desire for more copies, I am induced to torus a second edition, considerably enlarged and improved. The observantable have been added adapt the back to the wants of the people in the South and West, is well as in the North, and give the people treatment for the latest forms of Arms Disease which may demand demestic treatment.

J. P. D.

MARKETONE, HILL

THE MEDICINES.

The design of this work being simply to point out such assume as may be required in cross of Acute Disease, and such or may be reasonably carried by the traveller, the number of modifices is necessarily limited, and will comprise only the most reliable.

They must be kept tightly exclude in their respective fattles and preserved from the influences of light and home. They should be kept out of the reach of children, not that they would be preserved, but that they may be preserved from adulteration.

DOSES.

The object in Homosopathic medication being to select the lent does that will offer the cure, and there being no guide cave experience, in determining low small the does in a given formed disease should be, such proparations are recommended, and in such quantities as will cure most cases and be safe in all.

To accommize space for the hady of our work, directions to general as to suit the various discusses named, are here given by the administration of medicines.

- FOR PERSONS ABOVE THE AGE OF VES VESSEL, MIX IS A TEMBLER FOUR DECISION OF THE TROUBE, OR ABOUT TWENTY TIMES, IN TOUR TRADESPOSTULE OF TORR WATER.
- 2. FOR THESE UNDER THE JAME ANOTHE OF WATER.
- 3. FOR THE SHIPE CLASS, ONE TRANSCORPED IS A SEPTEMBER SHIP. AND JOB THE SERVED, ONE HALF A TRANSCORPED.
- A THE INVERVAL DETWICE HOW, AS DESCRIBED BRIDGING, MADE BY ACCUPANT HONOR ASSESSMENT OF THE PARTIES.

The water used should be such as the patient is daily accustomed to as a beyonge; and the vessel, as well as spoot employed, must be perfectly clean. When the drops are put in the water, the mixture should be stirred briskly for five minutes, and then kept closely covered, and away from light and heat. A fresh preparation must be made as often as every twenty-four, or, in cold weather, forty-right hours.

 If the pills are used dry, eager will up a door for an adult, and pour bot a child under ten.

IN TABLES THE PILES, ALMATE LET THEN DE-SOLVE IN THE MOCTH.

6. WHEN THE MERCENE IS IN TOWNER FORM, A TORK FOR AN ABULT WILL DE AS BUCH AS BOST TILLS WOULD MAKE IS MASHED, AND FOR A COULD, HALF THAT AMOUNT.

DIET.

Is Acute Disease the appetite is generally wanting, or if present, it is of that models character which will of itself counsel abstracte from foot

The run of discuss treated of in this book is generally so about as to allow hitle or no nearthment before their termination. As it is both however, to indicate some articles that may be formed bottle than others, whose nourishment is required, the full lawing are recommended:

GROUP, MADE WITH WATER AND CAPTURAL, ESCE, FARINA, DARLHY, OR WHEAT FLORE, SEASONED WITH A LITTLE SALT OR COMAN, OR HATEL AND AS ARTICLES OF REVERAGE FORE WATER, WATER COV FROM GUS. ARABIC, SECTION FLM, OR TOACTED BREAD, AND WHAR BLACK OR SAVAN TEA.

But when the violence of acute discove is existed and the agnostic calls be more substantial fred, as in most climate allments, a wifer range may be taken in the chairs of aliment. In addition to articles already specified in such case, use light broad and biscuit, not containing saleratus, anda, or other similar ingredients, and mes too fresh; light publings of wheat, Indian neel, rice, categod, or bread, without spices or rich sames; Indian or rye meal, cracked wheat, or pearl harley; pears, apples. and marker, either raw or cooked, coupt in diarrheat Milk, freel butter-milk, boiled milk, cream, butter. free from any rancid or unusual taste, plain custaed, soft boiled apps, beaf tea, from scale field, exone esterne chickens, pigrons, turbreys, partifiges, physicals, hard, muturn, venture, some or breaks of the animal or algebraic mentages, specified as allowable patators, currents, green and dried post, and you sould in oils or sharehou.

LIST OF REMEDIES EMPLOYED.

Full Names.

Aconirum Napellus,

Acsenius Hippocastanum,

LAPACRICHIM Albuni,

Belladonna,

Bromine,

Bryonia Alba-

& Camplior.

Cantharides.

Capsleum Annum,

China,

Corrulus Indieus,

"Colocynth,

Chamomilia,

Croton Tiglium;

Cuprum Metallicum,

Glonotue.

Repar Sulphur,

P Ipccaemanha,

Abbriefalton K

Acon

Acamima.

Arsen.

Bell.

Brom.

Hey.

Camph

Canth,

Cape.

Chim.

Corr.

Cocci

Colo.

Croton.

Cupr.

Bepar.

Ipeene.

Will Same

Kali Bichromicum,
Mercurius Corrosivus,
Mercurius Iodaius,
Mercurius Vivus,

Nitrie Acid, Nux Vomien,

Opium.

Pulsatilla,

Sthus Radicane,

Spingin.

Terter Emelic,

Verstrum Album,

Abbrymations.

Mare. C.

More. I.

Bleve. V.

Nit. Ac.

Opt.

Puls.

Spong.

Tort. Em.

Verat.

Crude Tinetures.

Arnies Montana, Calcadula,

Phytolacen Becanden.

Urtien Urens,

Arm

Calend.

Phytose,

Urt. Urens,

ACUTE DISEASES,

AND THEIR TREATMENT.

FEVERS.

The numerous affections of the human system ranked under the title, have been assigned to express expect, each as sudden changes in the temperature, weight, or electrical states of the atmosphere errors in regimen, ever-exercion of mind or body, and malarmous influences. They are meanly all characterized by constations of increased heat, by augmented rapidity of pulse, hurried breathing, howlacks, dullness of the eness, less of appetite etc.

SIMPLE FEVER, FROM A COLD.

This begins with a shift or general Solving of continues which, however, is not always as a red, and which some yields to a general emention of host, flushed from thirst, not dry skin, bandache, and, pushage, pains in various parts of the body. These symptoms, if not some noneyed by approprime remedies, or by the unsaded offices of matter give place to those of inflammatory affections, such as planticy, long favor, sie. It becomes, therefore, allinspertiest to clock the progress of such tearful of fections while yet in the bud, by bracking the simple forur. This can best be done as follows: At any time during the civily stage, and before the heat and those have set in, beeping away from the fire, make use of

Cold Water, by rapidly masking the entire lody with cloths dipped in it. After a smart rubbing of the surface with a course towel, walk or run till a mate of warmth or a free persperation is effected.

In cases where it is preferred, or muce convenient, a net short may be used as follows —Dip a mustin short in cold water, wring it dry as possible, and spread it out on a beavy quilt. Upon the short thus prepared he down, so that an attendant may wrap it and the quilt closely about you, leaving only the face uncovered so much that you can get sufficient air for breathing. Beauing in this envelope till reaction takes place, causing you to feel warm and comfortable: they rub the surface well, three and take exercise, as before directed. During wither of the battle, werm drinks should be freely taken, also two does of Campber, at interrube of filless minutes. But if the fever has set in, or there already appear symptoms of affections of a

meeting and inflammanry character, the cold coder most not be used, as it would no larger be homopositive, and therefore each.

When the cold stage is once past, and the fever

rises, the proper remaily as

Acouste, prepared as directed in the introductory

Discours half have.

When a tree perspectation is effected take no meanor, as the favor states, longition the intervals to terms the favor, to one, two, or four hours. If, however, the Acon fails, and inflammatory affections follow, they must be unit as less after directed.

INFLUENZA, OR COLD IN THE HEAD.

This, beginning with the symptoms present in the first stage of the courson forer may often buarrested by the means pointed out for that affection. In characteristics are refuses and watering of the symptomistics of the new, with a feeling of distruction, or a flee ducharpy, days and ourness of the threat, dry court, some opposition in breathing, headache, white could soupe, and a general feeling of language.

Having used the Atom, without police propers Mercurius Vivus as directed, and taken

Administration

When it is note for the stood door, and there is no smaller improvement, prepare

Bryonia, and take atternately with the More.

Dose for hours sport.

Camphor = best when, with the symptoms already given, there so a sense of sudden and great prestration.

Don mery half hore.

Nux Vemica is best when the cough is day, as from a titulation down in the threat, there is an increase of restlement toward and during the night, and constipation and soreness in the bawels.

Don every 3 ser hours.

Arsenieum is best when there is great thirst, shreamy, acrid, burning water running from the eyes and room which are soon and availent semantion of heat in the part of the head which is aching, general debaity, with general increase of suffering when lying down, and raisef when moving about and when in the open air.

Dur may four hours.

SORE THROAT.

When softeness of the thenat is felt, and difficulty in swallowing at a not easy to anticipate the decision which these may be the first symptoms; at may be quirry, sortisting or a malignant over thread it is well, there are in act both words and promptly in the use of remotion. Examine the appearance of the threat, by opening the month widery and prising the tenges down with a spron. The appropriate remotion are

Capsienm, when the palate, teasile, and surcounding parts are very red or purple, swellen, sure and learning, swallowing, and even talking, difficult; or when the tengue is sure, red, smeller, and oven proteuding between the teeth, and there as hondrain and directors.

Disc every hise.

Belladonna, when the Orps, does not, in three hours, lafford robest, and particularly if the headsche is very bad, the face dusting on there is remon to appreciand correct force.

Don stery two hours.

Phytolarea, when with much inflammation there is a feeling as of samething lodged in the threat, and a considerable reflection of macus.

Dies every ben horn.

Mercurins Viv., when the tonels and palato are much swellen, their calor a pala red, the palato appearing lengthered and rather translucent. Blo a Malaga grape with the skin off—the threat filling often with muchs, constant desire to available, or whom there is not much inflammation or swelling, but small, yellow unarting olders on the locals or parts man them, with constant flow of saliva in the month.

Dist. 1999 Star hours.

Capsieum may be taken in alternation with

Descripton Asset spari-

Hepar Sulphur, when there are satisfying pains in the throat: absente before or after it breaks.

Bois energy air Anners.

Arseniens, when, with alone in the throst, there is great burning, a discharge of grayish or grasmish matter, a feeling of great prostration, to other symptoms of a gangrouse condition.

Dose every eight hours, with a slore of Chyo, between,

Nax Vomica, for ever, raw feeling in threat, wome when not awallowing, or when awallowing salira than when swallowing solid food—especially if there is disordered stomach and constipation.

Districtive Jour Assert.

Croton Tig., for great least and depress in the throat and mouth.

Dom altreated with Cique, you town approx.

Bryonia, when Nex Van. falls, especially if

there are desimalic pains in the shoulders, neck, as other parts of the body.

Down overs Aust bearing

Hot Water, in sides of the cases mentioned, should be week as a gargle, just beside taking a door of medicine. The greater the heat in the threat, the water should the water be. In all some of induced threat, and delade are bad.

If none of the remedies named are at hand, Alcohel, Brandy, or Wharky may be taken, my twenty drops in a tempoonful of hot water, every two hours.

DIPHTHERIA.

The distinguishing feature of this disease is the formation of white or yellowish patches of memberson in the threat. These patches may also form in the woodpope, in the news, or also show upon the mesons numbers and.

In any one of ears threat, the treatment already detailed over Sure Threaty should be pursued, unless the diphaheritic patches appear and are unyielding, then report must be led to some additional remodies.

Nifric Acid, whom the patches are very finding, the breath very effective great debuilty, arous skin, siz. Give in alphanous with Chindren, when there is great burning and least in the threat; or in abornation with Reliaboum, when there is hendades, fluided free, and great nervous excitations.

Dona his body quitt.

Mercurius Indatus, in place of Not Acid, when there is considerable swelling of the glands. In alternation (as above) with Cape or Rell, giving two dozes of these to each one of the Merc.

Done has have byour

Kall Blebromicum, when there is croupy rough or breathing, indicating an invesces of the laryon or tracket

Date hard how speed

Bromine, whose alter four heurs, there is no breaking of the croup, under the use of the Kali-

Denn kely hour igent.

Spengia or Hepar Sulphur may be required. (See Chapter on Crous.)

Enther of these remodite may be used in alternation with Bell or Opps, when the condition of the threat, as indicated above, seems to call for their employment.

In any case of Dipheloria, repecially when there are arrang symptoms, put a slice of lat become east pers on the throat, so directed in the Chapter on Comp.

Blood there be a response of the gatching after being over closed way, or should the remo-

time named fall to remove them in a renormable tame, apply with a fine break, Sulphur, let or 2d trituration, or the glowers to the parts affected, in alternation with Phytoleson

Direction have spart.

Phytolagen, in alternation with Joon, will fraquently out short on attack of diphtheria, if used upon the first occurrance of chilly and favorish hadings, someone and arrumulation of much in the threat.

Dom NO/ as hour spart.

Alcohol. In sovere cases, at first characterized by high fever, and then by extreme Schilley, significant when there are indications of importanted bland and deficient nutrition. Alcohol, Broady, Whisly, or Wins may be used as a remaily.

Of Alcohol 20 drops, or of either of the others a temperature, in a tablespoorful of her water, may be taken every two hours by an adult, and half that quantity by a child under twelve.

Statistics, I think, bear good testimony in favor of the breatment of diphtheria which I have briefly detailed. In the winter of 1000-01, I kept a record of my case, their symptoms, remains, and receive Out of 100 mans, I has but 7.

CATARRHAL PEVER

This alleriton began with children, succeeded by

a fover, which wares, being higher at one time than another, even in the same day. The murous membrans, or what is commonly called the "lining" of the inner passages of the body, is the seat of territor tion. When that portion embraced in the ness and sym is particularly affected, the disease is formal "cold," or "entargle" in the head. When the partion in the throat and more orpacially the cheel, as affected, it is called "enturch" in the clost, and if accompanied with some fover, it is known as "an tarrhal fever." In either case at the enters, the mucous membrane is very dry and comordiat indamed; but soon there is matery, irritative discharge from it, which becomes thicker, more difficult to remove, and even oppressive, if not charked by appropriate remains.

Having already given, under the heads, Indicanes, and Sore Threat, the means most would in outarrical affections of the head and threat, those only will be pointed out here which are concurred in what se

commonly called "catarrial fever."

Acouste, at the outset, or as seen as any fever appares, particularly if the skin is dry and hot.

Dem svery but hears.

Belladenna, when the favor continues there as much headache fluid bline, arrange in the throat, short, day cough, and nervous startings in the p.

Distriction has been

Bryonia, when the troubles are werse in the day-times werse in moving cough dry, causing puts and soremen in clear, sides, or pit of atomach.

Butt every two hours.

Tartar Emelic, when there is much opposition in breathing polyheaton of the beart, loose, rattling cough, with names and even womiting of muons, with or without a moirt skin.

Den mery have?

or in alternation with the Bell or Bry.,

Discount for speed,

Ipreac., when there is great generation difficult breathing, dry, hard cough, names, or vomiting,

Descrip expression with Bells story hour.

Morenzius Vivus and Nux Vernica are sometimas indicated. (See indications given for them under the head "Influence.")

Arsenicum is the chief remedy after Toosee, in cases of sufficience Cataerk, where there is great apprecion of short and a resulting stupor, sold extramities, etc.

Description half ham.

CROUP.

The affection, though apparently of sadden ascorrected, course only after the frauditionation of many or mod of the yequine second by a old and already described under the heads Simple Fever and Catarrhal Fever. It is mostly premium to shildren, and comes on usually at night. It is characterized by a sugglar "crowing" cough, extreme difficulty in breathing, and incremess of voice, such as no one will full ever to recognize, having some heard them.

The treatment of the dreaded disease, to be efficient, must be promptly and carefully and once. I have had, during the past twenty years, many cases, probably so many and as severe as any other physician in the country, yet, I am happy to say, I have not lost a case except when combined with Fearles Ferrer or Diphtheria. This second I believe to be owing to my adherence to old and well-treal house-pathic remains. Fragmently I have seen now remained brought out and their second martine cases reported. They may be most, but have yet to cure any thing like the proportion of cases cured by Acon. Spony., and Higher Std.

Upon the first appearance of ercop symptoms, the remoly is

Acouste, prepared as directed, and given

Drawing Miles and a

till for does see taken; then if no bester, prepare Spongia, and give absencedly with the Ano.

Their broad and apport,

till the patient is better, then one, two, or four hours apart.

Hepar Sulphur is the best renedy for the hoarson and occah remaining after the attack of eyoup is broken.

Donnerson three hours.

Browine, when Assa, and Syong, fail, especially if there are diploharite patches in the threat.

Directory board

Indine, during or after Scarlet Fever, when there is great irritation in the nose and throat and swelling of the glands.

Don sury loss.

During the day following an attack of cross the patient must be kept in a warm, day room, and as free from excitement as possible. In case of any return the following night, the same remedies must be used. If the case proves too unyielding, medical aid must be sought, but in ninety nine cases out of a hundred the three remedies first prescribed will be all sufficient.

N. B.—In all savers cases of group, sew a thin the second to be upon or porter upon a story of first and and course it upon the threat change of it every any our the decrease in brakes at these courses the second and beaver the throat or for three or loss save.

ASTHMA.

This distriction difficulty in breathing may area from a variety of sumes, and demands, therefore, a variety of remoties, greater than I can here set forth. I will present two or three medicines which gave relief oftener than noy others

Ipocac, is best in ordinary cours of Authors, where there is great tightness and dryness in the air-vessels, especially if accompanied with names.

Downery half hours

Arsenfrum is butter in cases where there is palpitation or great excitement of the heavy, and where there is dropsy, or the drops of chills and favor.

Democrate Assec.

Nux Vomica is bother to cases that flare union from some indigentials had exten-

Door servey from .

Opium, Lobelio, and Palanilla are comelimes good.

WHOOPING-COUGH.

This affection may frequently be shortened and about always model eately through its course by biomorphilm remodies.

Belladenna son Capram Metallicom son may man repeatly if the provious are violent. very distinct, or threatening sparms. Give them alternately,

of alone every four or six hours.

Capsicum and Tartar Emetic are better if there is much rattling of muons in the cheef, vocating, follows and reduces of the face.

Attorney a mor even born hours.

Nax Vomice, when there is indigention, constipation, pain in the obdomen; were in the absence;

Donney for house

In this disease the patient should be taken dolly into the open six and upon the highest hills, when the weather is favorable.

PLEURISY.

This affection is characterized by a sharp, sticking pairs in the side of the cheet, is fell most in taking in breath, is presided by chills and accompanied with most or low layer, thirst, etc.

Aconite is the chaif remedy.

Dure seery have:

If the pain is unabated after two doses of Acan, prepare

Brjonia, and give it alternately with Arms.

Done helf on hear sport

If no relief is experienced after four boxes, per-

Belindonus, and give in place of the Arcs. and Bry.

Diss mery hour.

At the same time the Bell, is employed, use

Hed Water; wring cloths out and apply them to the scaled the pain, at the times for giving the medician. Cover the hot compress with dry flames. These three medicines and the hot mater are capable of curing most, if not all, cases of plearing. Blooding, empiring and blishering are not to be compared with those.

If there is much cough, with finished face, the barge may be involved, and the remodies in the contcharge should be considered.

PNEUMONIA, OR INFLAMMATION OF THE LUNGS.

This affection is characterized by a chill, fover, pains in the clost, cough difficulty in breathing, bloody expectoration, full pulse, and sometimes masses and vonting.

Acoulte,

Due yeary inne-

After the control does if not relieved, propose Beyonta, and give it alternately with the Acon-Dono or tour apart.

Phosphorus may to substituted the the Bry, if there is no supportunition twenty-four house. Tartar Emetic is better in place of the Bry., if there is much rattling of massus in the cheek opprocess in breathing, or masses.

Belladenna may be substituted for the Assuwhere there is dushed from severy headache, or the

fover continues unchecked.

Opinm, when there is great stoper, heavy, he bored broadling, red face, sites Bell. Give two does, one hour apart, and then go on with the regular remadies.

Hot Water may be applied as directed in plott-

nig.

In the management of this effection, do not become frightenest and led to reserv to mustard planters, blaters, or bleedings, for such measures have made many a mild case fatal.

BRONCHITIS.

(See Catarrhal Favor and Pusamonia.)

SPITTING BLOOD.

This affection is not necessarily dangerous for early rarely an much blood is lost us to occurrent dash. Frequently the blood is from the nown, passing down into the throat. When this is the case, the spating occurs generally at night, early in the meeting, or after a sleep. Sometime the blood is from the throat. When this is the case is excurin small quantities and is dark colored. Sometimes it comes from the stemade. When this is the mane, it is remitted up, and is accompanied with names and a burning in the pit of the stemath, and is bark colored.

When the blood is from the lungs, it is nearly of a bright rail color, and often freely. It comes after lard coughing, from a blow so strain, or from a sudden suppression of some habitaal discharge, as in pales, or at the measural period.

Araica is the remaily when the homorrhage is caused by some mechanical injury. Take making fone ply, wat it with the tincture, one part with four parts of water, and agreed it on the cheek or stone ach, according as one or the other of those parts may be the sent of injury. At the same time prepare and use drawes internally.

of sine every two hours,

Arsenferm is been when the blood mines from the stomach. This may be given in alternation with

Capsicum,

District Association

Nitrie Arid, in alternation with Cope, is one of the period remedies, especially for persons where to disappear, or reduced by other discussion.

Direct was himse payoner.

Pulsatilla and Aconite are the text remedies in our the homovlage arises from a subden suppression of the monstrual flow, or of a discharge of blood from piles. Give the two remedies alternately

Down on hour opents

Belladonna and Ipecac., in alternation, are the last remotive when the beneritage is from the longs.

A dask every horror

China, when there is great debity from loss of blood, finaless of heat, chills, etc.

Home wairy from America

Alcohol, or if that is not at band, Bossely or Whiely may be used, in the absence of solar renorders, especially if there is bouleche, Budied See, pulporation, lever, or extreme debuty, watery backing blood, pule free and cold extremeties.

How by Asserted 20 direga, on of Brando or Whistig half is himspeciafied in a field openingful, of Waster requisited corns Asserts action blooking, or three feature to passive for store Monthley.

The patient should be kept quiet in a recombinat posture, and see although to talk, or drink cold water, except in molecule quantities. There is no occasion for frigul, and every reason for the puttont examining alon. Sudden examining when have a more or property of the heart or extra mappels and to the heart of the

COLIC

This affection may be distinguished, generally, from any inflammatory condition, by an absence of excess on pressure and an absence of any great, degree of heat. There are various kinds of colic, as will be seen in the inflications given for the remodies below.

Nux Vemler is list, in case the gains come and go at intervals, and there is consupation of the bowels, or much flateboury.

The services

Colseyath is heat in case the pains are accompanied by an unping to small and homeness of the bowsts.

of the converse.

Chamouilla, in the case of infants, openally when easing each, with lamoness of lowels, etc.

The duty horn.

Belladonna, in alternation with the Chara, is sometimes very beneficial in the case of an infant, when there a much nervousness, flushed face, we.

Pulsatilla a best in our the page come during the membraid period, and superally if there is a middle check of the flow.

Adventury name.

Correlate in place of the Path white the paint

are very severy, there is flushed face, follows in the book, and distinces, with a searcy flow,

Date overy town.

Coprum is best when the pains are more like gramps, which cause the patient to cry our when they come.

of the overs have

Camphor, if the extremition are cold, with a disposition to helds and ineffectual afform to do on.

Description or other

In most case of colors compress wealin but water and hapt upon the painful part, by a dry florant handage, will be of service. Much relief is often afforded by the bands of a strong person, pressing firmly, the one to the back and the other the fruit of the region of pain.

INFLAMMATION OF THE STOMACH.

This affection is distinguished by burning or cutting pains in the pit of the storageb, and to the left sole of at increased by pressure, by taking breath or facel. There is given the real matters and a disposition to construct or taking holl or details.

Acoustic smooth to given that and thou in obsernation with and of the allowing ranging

Zimin Asiy on time spart/

Nux Vomica, when the attrees has been induced by alcoholo drinks or by acting of fruits or vegetables, and the borrols are constipated.

Arsendenm, when there a great thirst, minute, burning in the stomack and wantings or there is diarrhose.

Capstenm, when there is excessive burning in the steemach.

Veratrum, when the ventting is excessive and not relieved by Areas: especially when the extremities are rold; or there are example in the stomach.

Het Water should be taken at as high a temperature as can be beene.

Take a few spoonfuls before the one of any multicate, and then crossple to satisfy the thirst at times between the doesn't moissing.

In this affection no cold drinks are allowable. Should there he great external heat in the segion of the research, recasional sponging with not water may be practiced; so a compress was with hat water, and covered with dry flarted, may be applied.

Alcohol, or Brandy, or Whishy, is the above of other remains, may be used every bounded by. Academ 90 frees, or Brand' or Whisky boll in terms of the in a bibliograph of the water may be repeated every homeor boll from

INFLAMMATION OF THE LIVER

This effection has many of the symptoms of the flammation of the symmetric only that its sent and most of the pains are in the right, instead of the left side. Along the edge of the ribe of the right side there is great huming screenes, and pain. The tengue is generally yellow costed, and the skin has a joundinal appearance. The symptoms vary according as the upper or lower surface of the liver is affected.

Aconite should be the first remedy, especially if there is general fever.

Drug mery boots

Nex Voxidea is best when there is great tendorness and fullness of the liver and constitution of the howels, represally in previous addicted to spirituous drinks.

Don overy his forth.

Bryonia, when there is constant shart rough, painted and the shart extreme aureness, with constipation of the towels.

Desc rewa too forest.

Arsenieum, when there is violent, burning pain, in the order side, follows, vomiting of dark masses, and becomes of border, with odd extremities

Danson of Low.

Mercurius Viv., when those a much unlarge-

ment of the liver, bitter tests in the numb, shipering and disposition to sweat, with bosoness of the nowels, alternately with Reposits or Total.

Dono has hears sport.

Belladenna, when there is executive pain, approximation in breathing, bandacine, giddiness, and finded free.

Those werey have-

Hat Water. A compress well in it and revered with dry flamual may be kept applied over the region of the liver.

Alescor it many Amer.

INFLANMATION OF THE BOWELS.

This effection is distinguished by severe burning or sulting pains, great tenderness, and atmentions follows in the abdomen, and its made were by any increases.

Acouste. Cive, See two hours,

Deer carry hely four,

Belladonan, offer the Acce, when there is yet much fover, finesed face, hundards, and extreme sureness, with a smooth red tongue.

Don mary bear.

Alcohol may be used in place, or in the absence, of Boll, autornally by a compress, and internally, 20 drops in a temperatul of has water, every bounBrandy or Whisky may be used, if more convenient than Alcohol, double the quantity being nec-

mry.

Nux Vomica, after the Aron, if the tongue is yellow conted, with red edges, and there is flatolency and intermetting pains, with constipation of the lowels.

Don every two hours.

Colocyath, if there is great and frequent segging to stool, with small distherges.

Directory for boards

Mercurius Corosivus, after the Cole has been used without effect; and especially, if there are maccus, belong, or bloody steals.

Dan very his hours.

Croton Tiglium, in case of violent purging and severs griping.

Dies men bear.

Hot Water. A comprom wer in it and severed with day flamuel may be applied to the abdonom, if there is consulpation and great external heat, but in no other case.

INFLAMMATION OF THE KIDNEYS OR BLADDER.

When the kidneys alone are affected, there is good pain, heat and occurs across the small of the back. The water is high-colored and hot-When the bladder is also affected, the point extend from the back over the hips and down in front There is great point and urging to urinate, and much burning and pain while urinating. Sometimes it is thordy.

Avonite and Cantharis, taken alternately will ours mine cases out of every ten of eather from of the affection.

Dines on Assertant

Belladouna may be substituted for Assections in case there is bendarlis or extreme neconstruct.

Hot Water. A compose wet in it and covered with day flatnel may be applied over the region of the kidneys or bladden.

Monor it years nous.

Alcohol or Whisky, twenty drops of the former or a transpoonful of the latter, in a sublespensiful of water, may be used every two hours, in the absence of the other remadios named.

GRAVEL, STRANGURY, ETC.

The remelies just named as best for inflammation of the hidneys and bladder, are also our best for pain and difficulty in passing water. If they are not sufficient, use

Nux Vemica, or Campher, or Pulsatilla.

Dress Pro America

CHOLERA MORBUS.

This effection is usually brought on by improper sating or drinking, and is characterized by source points in the stomach and bourds, vomiting, and often violent purging. If there is reason to suppose the effecting material to be yet in the stomach, brink

Warm Water, a pint or more, till the stomach is emption.

Iperar, if there are the usual symptoms of "hilltomores," and bile is remited.

DOLL SIVEY ANY BORT.

Nux Vemica, in alternation with the Tpower, if the attack has been induced by vagorable fixed, acid or spiritures drinks.

Down half in hour apart.

Arsenieum, if there is virient counting and parging, great thirst and a sense of weight at the pet of the samuels.

Discovery half hate.

Pulsatilla, in alternation with the Ipeter, if the attack has been induced by enting pastry, most, or farty mintaness.

Il- balfor ber spirt.

Verstrum, in place of Artin, of that find to check the ventiles and purpose especially if there are groups in the element or bowels.

Dan sury half hour.

Cuprum, in place of Viviat, when there are cramps in the logs and arms.

Don very half hear.

The hands of a strong person applied firmly, one on the bawds and the other on the back, opposite each other, will afford some relief.

CHOLERA INFANTUM.

This effection is characterized by much the excess symptoms as the proceeding, only that it occurs with infants and young children. The remedies are the case, except when the muce has been feeling, in which mass

Belladonna and Ipecae should be given alternately.

Davis bull an tour speed.

In all cases of diameter dynamics, at comming, either in scown persons or shibbren, a finned handage should be put tightly around the body, so as to
order a from the branch cown to the hip. The
should be were constantly by all persons who are
subject to attacks of the kind. Dold drink) are the
allowed to sole allowers.

DIARRHEA.

Of the affection there are many various and for them many and various means have been used. It is my aim here to give two or three only of the many remodits, and such as may need the demands of most cases of Diarrhoss.

Creten Tig., when the discharges are enjoints, and do, and accompanied with violent groungs.

Date corry and or fire America

Arsenirum, when Clotes does not relieve, and especially when there is great thirst, manner, debility and coldness of the surface of the budy.

Diese Harry America

Pulsatilla, Mostness of Sowels, from discretered stampels on thirst, worse at night.

Description bears.

Chamemilla, distribus in children when testiing, nervous, feedful, drawing up their limbs.

Dur may lear,

Dulcamara is good if Chom fails.

Verntrum or Cuprum, in case of cramps or vomiting, as in Chebera Morbus.

China, when there is great Sability, the morements are stored at a corbain time such night or day, see & on there are symptoms of chills and five.

Districting Star Bourse

Geranoum mae, is a promising roundy where the distribute is disposed to be chronic.

Brandy is good, or Whisty, when there is headable, flushed face, thirst, and the discharges of a tar color.

A temporarial in a followership of Aut materialisty American

DYSENTERY.

This affection differs from diarrhox in this: the pairs and organic to could are generally greater, and the discharges smaller and more frequent. There is a commant feeling as of semething that could pass, yet unrelieved; except termentarily, by an effort at alfol.

Bryonia and Aconffe, alternately, when there is chillings, yet firshed face and headache, aching in the back and limbs, with agreement in the abdomenand origing to stool.

Donn on hour sport.

Coloryath, when the callely pains are very severy, the stools small, billions, and frequents.

Den murchur.

Mercurius Cor., when the steels are mucous or bloody: in alternation with Bell.

Design Assertant.

Cantharis, when there - man poon in the blad-

der and difficulty in urinating: alternately with Colo or Mer. Cor.

Donn on Low speed,

Arsenieum, when there is extreme thirst vomiting, burning pains in abdomen, cold extremities, great anguish.

Don some ber.

Brandy or Whisky may be required, in putrid cases, where, niter the lever, there is earling and discharges of this, non-congulating blood, with thirst, nervousness, and delivious.

I temperated is a tablequented of mater, every him.

For nonrishment and drink, a thin grard made of out meal and water, well fooled, is less. Cold drinks are not admissible.

CHOLERA.

This affection, so droudful even in name, is not often beyond the central of home-quather returning. Cases of it occur, mearly every matter, and are owing is individual possibilities and circumstance. When it is epidemic, provailing in certain breaktine and prestrating balf a community at man, it generally assumes a form called Amatic. The treatment of the two kinds is much the same, varying only as the symptoms vary!.

In regard to the comparative success of interconyathic remodies, I must colonia the billowing statisties: During the prevalence of Asiatic Challers in Europe, the British Islands, and the United States, in 1831, 1849, and 1854, the assempt rate of nontality, under the old school treatment, was farty right per cent, and under the homosopathic, but obtains per cent.

PREVENTEVE STRASUERS.

During spidemic chalors, attention should be paid to diet and habite, represent to dampines or might ninmicided, and a handays of damed were round the stream's and abdomen. The least distribute or disposition to you'd should receive attention.

Cuprum is undoubtedly the best preventive agent in all our Materia Medica. In my own practice, repeatedly in the grant spidemic of 1934, which tield over twelve bounded people to their graves in two works, at Potesburgh, not a single person had the disease who tack this remedy as a preventive

Dur night and norma-

I would here warm all to avoid Brandy, Whisley, and all other inflaming drinks frequently resorted to as proventives; and all normans and specificaput up and sold so prevent or core Cholora. They are but describens, and only tend to more or the efferings and hazards when the disease comes in ascent.

There is no end to the prescriptions for Cholors, for

the reason that empirical and theoretical modes have failed, and failed again, to realize benefits from their most counted remodies. From the first appearance of Asiatic Chokens, down to this hour, the old schools of medicane have failed to agree upon any remodies, and now would tremble at its coming as much as ever before.

Croten Tig. doubt be used when there is simply a profess discriben, with graping pains.

Don every hour or half Arer.

Arsenieum, when the diarrhous is not controlled by two or three dease of Crosse, and there is named.

Description or half four.

Veratrum, when there is violent vemicing as well as purping, with cramps in the stomach, or bowels, or limbs.

Dur nory tolf bor.

Cuprum, when, with the veniting, the croups are very severe, especially in the arms or legaalternately with Verut.

Down ball on hors open!

Cuprum is the best remoty, and should be taken above, when the crainps prevail, especially in the extremities, and there is little or no vemiting or purpling.

Descripting half hear,

Campher, at the entert of the disease, when there is great prostration, rapid sinking, and soliness of the extremities and surface of the body.

Duranty fra nomic.

Campber is also the less remally when the others have failed, and the stage of coldages is not long in: when the hands are blue and cold, the syst sunion and the whole hody bothed in a cold, profirm propiration.

District fer name.

In this discoust warm drinks alone must be used, and the patient must be still in bed. Attended a should be particular to show no rigge of alorin, for fear and hight have duringed thousands when but for them, might have resourced.

The Water. The entire of the holy, repressly the extremition may be sponged quarkly with this, and rubbed brookly, present the band from the extremition thread the trunk when there is prostoffered, particularly when there is threatening collapse.

HEADACHE.

To estate a thin the limits of this little work, I am exceptible to onit a number of our more impos-

ant remotion for bestache. In elatinate cases, application must be used to a physician.

Relindents, for possess who have full, active brains, and who are select to a ruch of blood to the head; more especially when there is a feeling of fullness in the head heat and throbbing, and the eyes are very sensitive to the light.

Distriction from Joseph

(Genoine, we as those in a feeling of fullness in the order of the head, severe points, which are made some by any around a direction, and often a stiffness in the back and who of the mark.

Day overy hore.

Bryonia, when the band facilities bearing; is made were by every stop or jue; the mulp is necesbetter for stout, mornilar persons

Dancerson bear.

Colorynth, he very severa amoraled hostacle, which is increased by stooping or lying, especially when it comes in the latter part of the day and induces severa.

Zhia yeary Asam

Nex Vomies, for invadacio from indigistros or mental labor, and when there is communitary partial blindness or aputs before the eyes, and when the handlable begins in the morning. It is been adopted to benduche in persons of billions temperatures, or who are troubled with piles presentipation.

Date Hery hour.

Tpecae, for violent sick headsons, names, and veniting of bile; in alternation with New York.

Dolar as Assert aparts.

Hot Water, for lendoncy of blood to the head, great head, and conjectying pains. Apply a hot compress to the head, covered with day finance.

Distance of energy hours.

Brandy. When other remedies are not at head, Broady or Blandy may be used, especially when the symptoms are those calling for Bell.

Duck a temporopial in these temporopials of Aut under, every four.

Ice Water, for the same symptoms, when there is coldness of the extremities. Apply the cold water to the fact by bothing them for one manus, and then rubbing briskly with a course towel till there is warmth.

Application only young hour.

NEURALGIA IN THE PAGE AND HEAD,

This affection is one of the most crute and termenting and often one of the most incurable, that humanity is subject to. Beyond the application of some powerful stimulants, or the more fishionable deseption of anosthetics, the old schools new claim no entadictory measures of relief for it. But Humanishly has in this as in many these affections furnished efficiency remedies where stimulants, amosthetics, and other allopathic and publiative means, have entirely failed to do any good.

Relladonus, for neuralges in the face or head, of may kind.

Direction Contraction

Rhus Radienus, for the same, when the 1000halls to relocae, and especially when the pains are women at night, or when the patient is at cett, or there is a sensation of heat in the top of the head.

Dan mary hour;

Arsenicum, when the pains come at regular intervals and are learning, and there is names, or a sense of general prestration, especially in persons who have had child or been desed with quining

DISERVITY BYO BUREAU

This remoly may be taken in alternation with Bell or Blux.

Dissert Street Speed.

Nux Ventica may be hatter than Arten in presum addicted to the use of strong collector spirits uom liquors, and for persons of a muriou dispussion and constrasted habit:

Distriction from

Acoustic, when the attack line some on after a shill, or from a cold, and especially if there is any favor accompanying.

This iners Aise.

Coloryath a very good in some coar, (See Plantages)

Extends applications on far as my separation obtained, exert ofthe or no condition influence open that affection, overly perhaps, the last water packnessioned for handscha-

TOOTHACHE.

This districting pain may be relieved, often, without the district forceps, especially whose the meter of the levels is not termediately supremit to the six or to contact with best

Belladouna of the first remedy here, as in mon-

Do yang

According to be been if the arise in from odd part takes, and the person is not becoming formula.

Theory har

Campber may ralious, if applied to the painful

part, when the present is yet shilly.

Mercurius VIv. is been when there is heat and screeness about the root of the book is obscalled by pains, swalling of the game or check, all were at night and in damp weather.

Direction of the party

The ramedy in alternation with Well will afford which a right out of but mass of both schools

These are heart apport.

Chamsmilla, when there is a red per conding of one charle, server in the game the para worm after hobbirnite and in tool.

Nex Youngs is but when the tastiache has been induced by a green to an aliabelic deader, or result labor, upon ally in person of an irritable coposition.

11-01-1-10

Pulsatilla, he would not when the pain reter to the eyes or easy, extendly when it occurs in persons of a mild step attent, or in female during the membrane person expressions.

Discovery land

EARACHE.

While it came from a self-oil those music boulthout a smooth stor. Acouste is the first remedy.

Ziemanno kum,

Pulsatilla should follow done in each two done of it have given no rainf, and especially if there is hardness of lowering, or any discharge from the nay.

Zi- my har-

Helladama, when there are sharp, suddan pains in the our, extending to have head, or threat, dushed ince and intolerance of more.

Dimmery form.

Some relief may be obtained by placing a piece of rotten, one with Asian or Well one drop and there drops of plycerine into the car, at the came time then remedies are administrated.

Moreurius Viv., in can there a much eastling within or about the ear, or the pain is were in had, and e. a. ally if the plands of the nock are swelled and ear.

Print every have have

Hepar Sul, if the docharge from the ear contime after the part of Merc for a week, and a nore personal their musical

The wall and a trange.

Het Water. A common depend in it, and vov.

ered with dry flamed, should be kept upon the car and corrounding parts till the pain is released.

Rem though hill han

INFLAMED EYES.

In this affection care must be used to should the eyes from use much light. Reading and sewing must be emitted.

Het Water, When there is great heat, reduces or pains in any part of the eye, boths with water hat as can be become.

digity it every night and morning.

Belladonna, when the lide or ball of the eye are much inflamed, being rad, possible and very equitive to the light.

Discourse there bearing

Palsatilla, when the lide are much swellen and are much together with morns. This is the best namely for inflamed eyes after metaler.

Don way from house

Rhus Rad, is better than Palls if there is much inflammation and burning in the lids, with little discharge.

Disa noon thus have

Mercurius Viv., whom Pole and Blim fail to

give relief, or when there is a matter discharge from the eyes

Description.

Hepar Sol, if there are styre or alour on the margins of the fide.

This carry on Assess

Aleahed is very good, in the absence of other remedies, one only where Hell to indicated—there is finited from veryign sec.

Dam, at dampine (Ed., to four fieldings in field of statistic married)

A salution of the same assumpts, made with but water, should be applied to the inflamed eye, when the does are taken internally.

METTLE RASH.

This american is equivally called where and prockly have, and a characterized by great technique, and elements of allerations and white blotches at a time. The permanent practice of authors, parts at led by this reservoir, which additions of additions again tool, glycerion, who, we couple condense in terms too strong. Many a bold is thus reads welly for this, and note for any initial carright.

Aromide and Hell, alternately in man them it high fever, are the fire remotion.

DATE OF ASSTRAIGHT.

Blue Rad., when there is any predisposition to try dipolar or to downstries.

TANK PETY /NY ANDES

Pulsatilla, when there is evident derangement of the stormals and languages of the howels.

Date overy June Assert.

Nux Voinlea, whom there is decomposed of the storach and correspond of the howels.

Durwing for Aura.

Hepar Sul, should be given two done a week, to children subject to such attacks

Hot Water. In this affection odd baths are very unushed but werm, even but boths, are very modules and beneficial expendity when, in talk a port of bet water, is put a labbay angul of alcohol-

of Both part of animaly.

CHICKEN-POX.

This is a mild a uptive discuss, and solders require any soldies. The possible appear rapidly, and constitute without any perceptible previous distribution of health, and disappear about the fifth of with day. Should the fever be very high, it will be with a give

Aremite for an audustica

Description of the last of the

Beladenna, when there is any disturbance of the head, delirium, or deposition to spanne.

Daniel or register fours.

Mercurius Vir., when there is reduce of the syst, with running from the news, or other caterthal symptoms.

Don mery four Asses.

SMALL-POX.

This reach drowled disease is not so unmanageable as is generally supposed. When it is prevailing those who are not fully protected by varioustion, or by having had it already, should be careful to avoid exposure to it, and careful of their habits of higher. Upon the appearance of its limi symtions, treatment should begin. The first stops rectas much like a lad cold. There is chilliness, followed by faver, aching in the back, hans, and limbs, reduces of the eyes, running from the name, one. Then comes pain, with sursures in the get of the stemach. On the third day an eruption become to appear on the face and scalp, at are fine and pointed, then filling up round, with whitish watery matter. This matter gradually thickens and hardone till the postules dry down and pass off in scales. From the time the puritales first appear, from eight to fourteen days pass before they are could off,

The dict should be strictly such as prescribed at the beginning of this bank. The room should be kept derk and cool, but dry, and the bed fresh and clean.

Aconite, in the first stage, where there is much fever, full, branding pulse, or.

Disc every Assr.

Rius Rad, and Mercurius Viv., given alternately, will carry safely through fully night out of every ten case, without the aid of other remedies.

Done four hours spart.

Belladonna should be substituted for Ehas when there is flushed face, congested eyes; headache, or delirium.

Iperac, may be substituted for Ethia when there is narrow and comiting.

Donn on or her boars spart.

Tartar Em., in place of Aire, or Ipo, if there is much names or vomiting, and the lungs are involved.

Doie every bro hours.

Arsenieum in place of Iper, when it does not afford relief, especially if there is great postration, thirst and oppression at the plant the stemach.

Glycerine, or Sweet OH, applied with a soft feather all over the fees, where the position appear, as soon as they are filled up round, or in a submestic or linen, spread closely open the parts, will generally present the "petting."

VARIOLOID.

This is a modified form of small pox, and requires about the same course of treatment. The postellor develop and disappear more rapidly, and there is no fever on the tenth or deventh day, as is generally the case in small pox.

MEASLES.

This affection begins with reduces and watering of the eyes, short, dry cough, and a degree of feverthen a fine light red couption appears on the face, neck, hands, etc. About the fifth or eight day from the first appearance of the discuss the couption begins to dic away upon the face.

Acoustic is constinue the only remaily required in this discuss. In all cases it allould be the first remark.

Distriction for home.

Pelsailla, for the reterriol symptoms, or in the eye are very much inflamed and sweller, or the coupling to slow in developing on the skin also for running from the said scentring after the

Don stery two hours.

Bryonia, when the cough in severe, there is difficulty in breathing, pain in the thest, and the trugillar is taint

Time complete a house.

Tartar Em., if there is much callling of somes in the chost, names and sloper.

Day on the house

Belladounz, when there is tendency of blood to the head, delarium, and a bearing skin, alternately with Acon.

Dimmorker quel.

Rhus Rnd., where the emption is well established on the surface, if it is forming and deling.

Date myy tive tues.

Hat Water. When there is great bott of author, full pulse, debrum, and the coupling does not come out, after the use of counties means, but the person to per in a hot bath, and kept order mater, except the time, for free five to ten minutes.

This is a last reserve to being out the emption. After the bulb, wrap the person in dep, were Bannot blankow, is feed. Should the cough become croupy, we chapter on Croup.

The eyes must be carefully shaded from strong light, and not used in reading for some days after measles.

SCARLET FEVER.

This affection, which destroys more of the brightout of our children than any other that ever visits our fineads, as severally manageable under proper homospathic treatment. If Hahnsmann had uncomplished no more in his bifetime than to furnish the remedies which he has for this disease, he would be deserving the thanks of the world through all time. To him the whole medical profession is indebted for Belladonns, as a proventive and remedy for the worst form of scarlet fover.

This disease begins variously. Sometimes with headwislent comiting or purging; anisotions with headsolor; again with sore threat or a high fever. During its entire course, after the ones is made, the skin is but and the pulse vary rapid; the threat is inflamed, often swellen, and there is more or has exuption on the skin. I cannot better discribe the various forms it may assume than by the indications for remodies that fellow.

Acouste and Ipecac, when there is high favorand vomiting.

Done half an hour spart.

Belledonna, in alternation with the Ipeans in most the Area, does not reduce the fever after two does of it are given, especially when the seriace of the body is red, threat indiamed, and there is headache.

I have been been support.

Belladorna, when the skin is smooth, very red and hot, the threat very sero, and there is intense trackacle, or delivers, or spaces.

Don't during him burns

Croton Tig., when there is leasuress of bewels, in alternation with Roll.

Dine few loars apart.

Capsieum, in alternation with Bell, when the greatest trouble seems to be sees shreat.

Joseph and Americant.

Mercurius Viv., when there is watering of the eyes, running from the nose, or much swelling of the throat or near.

Don own Here hous-

Mercurius Viv., in alternation with Holl, when in connection with the symptoms given for Merc. Viv., the fever or headactor continues.

Done two home county

The same, in alternation with Clops when the

fayer and headashn are relieved, but the thread yet remains very sure.

Done had house spart.

Thus Rada, when there is much whing in the lands, or the cruption ranghous the skin and is istly.

Don may be hore.

Arsenferin, is abstraction with Zhan, in case there are paint in the limbs, swilling of the first or author pullers of the first or there is a general dropped condition or opproved breathing:

Down times times uport.

Should there he say symptoms of croop, or of drangery, refer to the shapters on these offsellons. During recovery great care should be exercised to prevent the patient's taking odd, for the secondary brothles are often were than the primary.

Hog's Pat, applied either by rubbing with a pirce of park, or with fresh land, over the entire conferred the body, has been very bond fully employed.

It doubt be theretighty rained off with soil, dry faunal, offer being on for ten minutes

The application should be undergy marning, till the tropics become to the away.

Any pure ody substance spread in the some mun-

nor would possibly do as well as the begin fas, which I meation here because is can always be readily obtained.

Het Water may be used as a guigle when the threat is highly influent.

Thick have just before tricing a down of motorine.

When there is much putrility of breath, obseration and destruction in the threat, one grain of the folio deed may be dissolved in half a past of water, and used twice a day as a gargle. The acid may be obtained from any apothecary.

I have been thus neve explicit and lengthy on the treatment of Scarlet Pover, on a count of its bequest and terrible rayage, and a fear that mole mospathic physican may in some cases be at head to afford accordance.

Preceding transmit has not proved unmonful, but allows very inversible statistics. It consists in giving a downof Bell to each one subjected to the influence of Bearlot Fover, every morning, half an hour belove breakfast. Some old about practitioners have possensed children by giving offepathic down of this agent. You should use the preparations formulated in some with this book, or such as may be obtained from homographic phyminus or pharmaconists.

Clubber taking preventive treatment about to

under the rules of regimen, such as we prescribe in suknow

YELLOW FEVER.

I cannot here give a treatise on this formidable disease, but will try to furnish such indications of its presence, and for its proper remedies, as may prove reliable and meral to those expend to its ravages, who may have no homopositic physician within reach.

Farther north than Norfolk, in the east, and Natchez, in the west, it hardly ever viole; and wouth of those places it prevails only during the list season, and then without any regularity as to times or causes, so far as can be decerned.

During its prevalence in any community, the reidents should be very particular in their habits, avoiding all exposure to night air and the direct rays of the sun at noceday, all excesses in rating or drinking; all draughts of air, when purplying; in fact, all influences which would ordinarily produce a cold, a chill, or any kind of fever.

For such as may not be auquainted with the disease from personal observation, I give the following brief description:

 Chilling man or less distinct; encetimes slight obverious or cresping in the back and limits; at times, names or headache.

2. After the foregoing, there comes a reaction, or second stage, in a few hours, characterized by fever, rapidity of pulse, flushed face, even brilliant or pressed with blood, pains in the head, back, and limbs. There is great thirst, nauses, or comiting of said or bile, tongue white-coated, with red tip, These symptoms continue one or two days, seilmarily, and then begin to rose away, the person slowly recovering or their comes increased agresee at the pot of the stomach, with heat and pain, and incosent varieting, the skin is yellow; third increases; there is great restlement and toming; strangury, delirium, etc., isloring in the

Third and last stage, characterized by veniting of greenish or dark-brown matter, ("black vomit,") attended with more or less raped staking of poleand strength; the skin is darker and thraveled, sweats are profess (extremitioned), and sometimes drawn with cramps.

Campbor is the best remedy when the first-chillimen is felt.

Thus one or two drags every few or Affens minutes, All year-Win and worst Wars July.

Acuntle immediately after the Complex, - at any time, if there is a general beling of heat, rapid pulse, see, as described in the first stage.

Date tvery law.

Bellindenna, in observation with show, if there is much headsche, fluidad the good plicening sym-

Down on how sport!

Tpeener, when there is much naisen and ventiine, and yellow thin, alternately with down in the first stars, or Bill in the second.

Dom on hangest.

Arsenieum, when the thirst and vocating are expected; goest tenderures and herming as the pit of the stampels; prestration of strength, and theseexing collapse.

Dring torry form.

The above remedies are these shirtly relied uponby my distinguished colleague, Dr. Haucenen, of Blow Ordeans, in his very grantlying experience in the tourment of Vellow Power, as they also have been these of Dr. Davis, of Natches, who by his great series in this dreaded disease has agreed Homospathy wouldy in the Valley of the Mississipple.

Cantherides, in alternation was enter of the remotion note is above, in account prolonged or distraction of the state of the contraction of the

Dona on Americant.

Chamomilla, in men of females and children

or are two persons, having more pain in the slowoch or bounds, and a sevent contement.

Due very be-

Tartar Em., when the chief trenklet are nat-

This every hore:

Nax Vomies, in case of intemporate persons, or "high livers" when those a much pain in the standard or hands, consupration, tremon of the limb or numbers allowably with Bell.

Plant at Americant L.

Bryonia and Rhus Rads may be used to remove any typhoid symptoms which supervene (See

Button! Perch

In Yellow Power the Soil must be very light, such as indicated in the displace on Diez. Reliques of the first power in the large scale from the first line with the same power do not seen to the proper country and and the proper remodes and the carel as a during reservery.

The average rate of sorticity by the disco-, under old school, or ordinary transment, has been over thirty our cent, while their homeopathic it has been but some per cent.

Carried and good working place a most important

part in the treatment of this disease. Many, with

Confines and deliberation should be exercised in the selection of the remodits in each case. Do not got frightened and led to change camelios too often, or resert to empirical means.

CHILLS AND FEVER.

In low, damp districts, where vegetation is rank, and the products of its decay lead the air with an invisible but patent misems—in Southern latitudes, or during the heats of summer and early summe, also, in the Northern—a variety of favors prevail, called "latermittent" when there is a chill succeeded by favor: "Remittent," when the favor imply rises and falls, without a chill; "Billions," when the liver is specially involved, and the favor is more or less remittent.

I can have discuss no theories regarding the assentral mature of these various adjustus, but will try to point out some reliable remedies for them, which may be employed in the absence of a physician.

And helico prometting let me wern my readers to beware of the "heroic treatment," even yet-quite common in regions where these fevers provail. It is bester for you to depend upon good nursing, some simple test, and the strength of your constitation, during any of these fevers, than to be filled with massive dones of Caloned and Quinties, the effects of which, should you even ecope death, will, more than libely, convert you into walking themsensers, a miserable invalids and cripples, to the balance of life.

In regard to "Chills and Fever," I would say that, centrary to general opinion, the aim of treatment should not be simply to beach the processors or chills. The regulation of stomach, and liver, and nervous system, are quite as important as in control the circulation, for the restoration of good health.

Arsenieum, when the chill and fever are not distinct, but secur rather mixed, followed by ewest, integral best, with external colores, great thirst, and constimes memor and ventring, pains all ever, were during chillines and heat, great maximly, and prestration of strongth.

Especially good to old cares which have been doesd with Quinte or Cinthena Bark.

Good for daily shills, or those coming at longer intervals. Begin as soon as the eventure as over-

Dise temp four livers.

China, when there is a feeling of languar, headashe, thirst, and general measures, providing the chill; meatest thirst dinnights awar, or after the has stage; furing the forer, the years of the Josehard are full, herebother sevent.

Tommery for hors.

Nux Vamica, in parent of contepated babble with more of less inducation, facultates, and besidening, persons of bills as temperaturent, dark has open, and drive represently when measures to high living, or an approximate liquous. However, the best with children of the best, with children of the best, with children of the basis, according to the basis, and the best parents in the abdenue, see back and limbe, delang measures over the body.

B=umyfor == m.

Tpecar, may be used in alternating with Nov. From of the skin to your yellow and thora is worth non-ar external next increase the challenges; then of thirst.

Dates Made Source specific

Bell'adonn may be used after either of the remtilian named during the het stage or cold, if there is great heat in the head cold extremition and delinear.

Dair oury har.

Bryonia, when there is brobatic, discisses and dadnot two, house the civile stone, pame in the

ables there, the chy-mated tengen bitter to in and constipation, or if there is cough,

Dissert Property Street,

Cocculus, when, between processes, there are cramp pains, or spannatic troubles in atomach or bowels, with diminest, etc.

Dale Hery bealings.

Caprum, whose the civil or expenses, with blue, surrected earlies, cramps in the atomach, bowels, or extremition, or vanishing on alternation with New Power or Bills.

Districts interested in

I have many manual the remedies to set frequently used in Intermittent Pover, and would mention others which are coming into layer, the my space allow. Any saw which is not bounded by what I have possibled, must have the careful attention of a physician. Persons subject to shall should avoid night air, mounday sens, and excesses in eating and drinking on ralay as will occur.

BILIOUS (REMITTENT) FEVER.

The discovery is characterized by various feelings of an emission, a chall, and assistance fover thereafter, the fever vising and falling, and attention with derangement of stomach and liver, headsche, pairs in the back and limite; fool tengue and breath.

Campber, when the Erst feelings of depression, and especially chilliness, occur,

four every age or two hours.

Acouste, when the pulse is sonderated, the surface bot, fore finshed, etc.

Date every hour.

Bryonia, when, after 2000 to there is beautiche, demines, where-exted torgon, renotipation, wereter to stometh at abdomen, all made were by moving about.

Des early has been

Ritus Rad., when there is much pain in hack and limbs, tongue red at tip, bewels inclined to becomes, were at night, or when at rest.

Don very for hours.

Ipecac, in alternation with Bry, or Ebos, if, in addition to the symptoms calling for them, there is masses and comiting, rollow complexion, etc.

Down two laters name:

Nox Vomice, in plans of Boys, when there is much fullness and pain in the fewels, yellow-count tongs, openally to present who another disch-

The many your hours.

Belladonna may be used in alternation with other of the remedies named, if there is much tenlancy of blood to the band, need blend, or deligion.

Dona hio fours sparts

Brandy or Whisky may be used, in the absence of other remedies named.

Don, a beargought in two tablespeculate of mater, every three bears.

Alcohol, Brandy, and Whisky are especially useful in Clastric Ferror, attended with great drynesin the mouth, thirst, besidesing and tendency to detirium. They are infinitely better than the eathertics—Calonel, Blue Pill, and other reducing measures of allopathy.

TYPHOID FEVER.

Billions Fever, and various other sente diseases, may run into the typhics form, or this fever may result from other debilitating and exciting excess. It may begin with alight shift, or it may not; there is excitament of the nervous system, and a train of symptoms, differing, as the head, of set, or abdomen may be the cost of greatest disturbance.

Bryonin, when the first is finded, breathing disdicalt and rapid, regit, with arrows in the close, mouth dry, longue white or yellow-coated, head aching, feels but will, diameter on making, maint skin, even with next and popid pulse. Heirst, one size events in the pat of statutch or statemen, condigution.

Distriction Street Assessment

When Bad., him earlier around the eyer, hip dry and brownish, there and at the tip, rotestion of mina or frequent desire to arreate report and pulse, stapefaction of mind, pulseloons in the pit of the common points in the back and hade, were when lying or at a ght; howeld have defined, desire to arraps out of bod, multerings, etc.

Dies very than Army.

Phosphorns, after Boy, when there is hard, dry cough, difficult according, or railing, with yield with experimentian tinged with blood, wome before minight; published liberth or linderges natury, great washing a few coupling on the budy.

Drown Bruchung

Arcenieum, in the recovery great desility, house now of the bowds, excessive there, circumstrated reduces of the checks distress at the pit of the demant, verifies, weak, emacration, hard-see a bearing by a gume, and teeth covered with dark stuff, tonges day, maximisting, spain and reach on the breast, tendency to coldness of the retremition, i.e.,

Bus west directions

Aconite, Belladonna, Nux Vomlen, Oplum, Cocculus, and other remedies, may be required; but in a grant majority of cases the remedies on forth will be sufficient.

Brandy or Whisky may be required. (See sec-

tion on Bilious Fever.)

In this docume, physicians as well as patients are apt to become over-anxious, and to change too often from the control of another. Matters are made women by changing and alternating rate dies, and reporting these too free pontly.

The patient should be kept quiet and clean.

I wennot show this chapter without bearing to the mony to the value of the unive fiel of Dr. Rape of a for talking the progress and various store of Typhoid Power. In the first store the universal dark or turted, becoming clear and of higher color as the theman growth to be give, presenting a color are the inpu which productly descends, as the firster courits fast stores and makes, a make other of deposit at the bettern as the vessel, many and more done as the end is reached.

As the deposit thickens, the patient should have more a surfacing for d. The deposit at well as the perpiration on the dring and the even mines from the bowds a indicate of a hyperble or

MUMPS.

This affection is characterized by a swelling of the parolid glands, which he just below as in front of the ears. The swelling may attack one or both sales, causing a fullness of the face in front of and helps the ear, such as of the justs, and pain when opening them, or when taking acids into the mouth.

Merenrius Viv. is almost a specific in Mumps.

Dure every Jour hours.

Belladesma, in alternation with Move, in case there is any headachs, fever or delicium, or redness and pain in the swellen parts.

Dome bio harri aparli

Hot Water, applied by a compress to the smallen parts, will much relieve the pain or host.

Reserve every bour.

Apply no Iedine, or other things, to suppress the swelling as it may came a sudden removal of the disease to other and more vital parts. For the same reason, avoid taking cold.

ERYSIPELAS.

This is an inflammatory affection of the eron, frequently beginning with a small pustale, or re-ineat, so the new, leps, in overlide, and spreading upon the face and scalp. It sometimes uppears on other parts of the body; as almost always follows red, and burning hot. For facther description of the distrent kinds of Erystydias, as the remodies below.

Belladenin, when the inflamed part is execute and storing, or there is headache, fever, or deligion.

Domestry Here Leave

Rhus Rad,, when the inflamed spots are covered with watery pimples or blisters:

Don't mirry Black boiles.

Bryonia or Nux Vomica should be given aftermately with Bell, or Zhou, in com, with the symptoms for those remedies, there are violent point in althor sole, or any decongeniest of the stanish or liver.

Dissist free hours opera-

Cantharis, in place of Bell, or Bhos, in case there is scanly urnos, or strangury.

Does corry three hours.

With a little camel hair brush, or soft rotton, apply some of the Camba, Bell., or Blue, to the parts most highly inflamed.

I have frequently cut short the run of Eryapeles, when starting on the end of the sees, by pencions is with timeters of Chathoric after a therough summing with hel maker. The remedy applied exernally should be the same as that given internally.

Erysipalas should lotally, he treated as a burn or scald, by excluding the air from the parts affected, by a closely fitting compress of madin, wrong out of but water, and revered with dry flames).

Report it or often as the medicine is given

If the Erysipulas should be of a foreversy kind, causing an absence (on the following chapter), treatment came as for Boile.

Alenhal a very metal, or Brandy, or Whisty, in the absence of the remedies already named.

Dans, hely a temperaphil of dilected or a long-regist of Alreads on Which is the table; regists of Water, complex house.

The same, without water, may be applied to the cost of inflammation by sponging each time that a done is taken.

BOILS.

When these are small, or lasted in places not very consider, no treatment by medicine is needed.

Aralea. Five drops, in a temperated of water, may be applied by bathing, so by a compress.

Applients with four Assess

Belladenna, when there is great heat and palaand general disturbance of the system

Description hours.

Hepar Sulphur, when the Boil bugins to seller, and matter to collect.

Distal surry four Asserts:

Hot Water should in every case be applied to the Boil just before the times for taking the medicine. A positive of broad, ground slippery dim, or lax seed, and water, should be kept applied till the Boil opens; then a sompress of het unter till all is healed up sound. In this affection, and the one that follows, do not break the skin till there appears a colt, white-booking spot, which indicates ripeness; then open it with a sharp pointed based or knife, or the roint of a needle.

Phytolacca has been very successfully used, both to subdue the inflammation of Boils and to shorten their course, as well as to check the tendency to them.

Done every four hours.

The same may be applied externally, by potting, a few drops of the tincture on the position, or compress, such time it is renewed.

CARBUNCLE

This differs from a Boil in having more openings than one, and in being usually more severs and sickening in its progress. The treatment in this affection is the same as for Boils, with the following addition: Arsenious, when there is much general disturbance, such as assume, prestration of strength, and when the savity formed by the doctorne of matter is slow in healing, and its edges are of a blook color.

Dute mery free Arters.

Phytolacea may also be used, in the carry stages, as for Boils.

WHITLOW, OR FELON.

This is an inflammatory affection, coming generally near the flegor ands. It may affect the skin and parts immediately around the unit, or, desper still, the covering of the bone. It is very painful, and sometimes flestructive to the hone.

Ice-water and Hot Water. The part afficial, should be immersed four times for two minutes such, first in iss-water, and then in water but as can be borne.

Beyond the both every Amer.

Belladonna should be taken when the pain, throbbing, and heat are very great.

Dimension to beaut.

Phytolaces may be used, in the same manner as prescribed for Bods, when the inflammation and exclining no very great. (See Bods.) Mercurins Viv., in alternation with 2540, when there is much swelling, and the pain is deep scatch.

These two Assert spitel.

Hepar Sulphur, in alternation with Bell, after the opening of the above.

Design research and a party

Pentities of polyerized slippery slip or flax and meal, or a compress wet in hot order, should be applied from the time matter begins to collect till the above a entirely healed. As mon as the swelling appears out it should be opened.

AFFECTIONS OF THE HEART.

These are various, and can only to pre-midhere by the indications given for the different remolics.

Aconite, when there is neuto pain or heat in the region of the heart, or violent pulpitation, bounding pulse, etc.

Done trues Amer-

Arsendomn, whom there is great bitming in the region of the heart, and a seem of smothering, were when lyings expecially whon, in connection with those symptoms, there is a dropoleal isolation of the fest or ankles.

Denouncy three boars.

Bryonis, in alternation with Areas, when the patient is subject to resumation, or there is much beadashe or cough.

Done due hours mort.

Capsicum, in alternation with Arsen, when the burning in the heart is very great, and there is a constant short cough and pulpitation.

Dent the hours syntt.

Rhus Rad., in alternation with Arms., or alone, when there are chosmatic pains in the limbs, which become worse whom at rest, or at night.

Disirs two hours sport.

There are other important remedies for affections of the heart which L cannot present here, and for which reference must be had to a larger treatise, or to a physician.

APOPLEXY.

It is very important that every one should be informed somewhat in regard to the symptoms and treatment of this affection. Fits of Apoplexy are very slarming, often very dangerous, and always requiring prompt measures of relief.

Those are most subject to them who are staut, have a large lead and short neck, and who silen Sail a tendency of blood to the bend. Such persons should eat with modification, especially in the evening; never drink, to drink very moderately, of codes, cheedate, or any stimulating betweengous sleep with the local low; avoid great mental excitement, and baths in the following manner. The face and head generally with corre to tood sufer, and the feet with odd mater, always relicing them till warm.

Opinm, when there is stoper and insensibility, more or less complete; heat in the head, roldness in the extremities, and a moring as in deep sleep.

Dens many Affred working

Belladouna, when the Opiose has broken the support and the patient means, as if resources of pain, or gots into a convulsion; when there is heat in the head, injuried, red appearance of the open, and coldness of the extremition.

Disse seeing bounds solvette.

Gloneine. When two does of Bell love given no apparent relief, this may be substituted for it:

Date only fixed) mission.

Nex Yemica, when the attack has been induced by eating or dranking improperly, and there is derangement of the atemach; and when there is rigidity of the limbs, with excessional jurking convulsions

Discourge Astr Astr.

Hol Water applied to the head by a compression, and cornel with dry flamed is one of the most important remedicator Apoplexy.

Application to be removed every horse.

Cold Water applied to the fest and hands—the solder the botter—is also a very important measure. This application is bott when the extremition are very rold, and should be made with enough, or its water, applied for a missia only, and exceeded by a very brick rubbing with flaunch.

Application of the mosts at the time when the has writer to put for the book.

Alcohol, Bruedy, or Whisby may be used in the observe of the other remedies named, and in persons not habitually using those liquous as a becomnge.

Den. a fortgroundsi of Alcohol, or two of British or Whishy, in these inticommodule of Her Worer, many half Arm, 100 better.

PARALYSIS-PALSY.

This, two, is an affection often requiring speedy measures of relief. These who are threatened with it should live temperately, availing excesses of all kinds. The adolteration of liquids and hears with New Pointer, the adm, and Lovel, is halping to come many more more of this affection than were met with in olden times.

When want of sensation or motion is observed in any part of the body, after a fit of Apopleny, or spaces of any kind, a continuance of the very remodies successfully amployed in those affections will often be sufficient to remove it.

Rhus Rad, is our best remody for such Paralyin separally if there is ushing in the parts affected, and this becomes wome when at rest.

Descript throat first hors.

This remedy is also one of the host for Paralysis following Rhaumatiam.

These every sur house.

Nux Vomica or Bryonia may be used when there is Panalysis of the lower limbs; the ferner renerly especially when the limbs are subject to a shaking motion, which is made worse by touching them.

That comply or or on Acres

Cold Water, applied by sponging or jouring on parts lacking sensibility, is of great benefit.

Het Water is better when there is much bentand pain, yet want of power in any part.

Apply by Sometanian cong from hours

Electricity and Galoncian have been frequently

med with brackt, but, improperly applied, have male some cases incurable. Do not vesset to such powerful agents, unless in the hands of a competent and careful practitioner.

CONVULSIONS-SPASMS.

When these occur in Apoplery, or during confinament, from congrution of the brain, the remedies printed out under the head Apoplery are to be used. When they occur in children, other remedice are required, such as I give below. In reference to these affections, which now are so frequent, and always so tarrible in their visits, I must say a few eautionary words. Before the time of teething, infants solden have spasses. When they do, at is generally from some carelessness on the part of the nume: a fall, exposure to the sun, or improper feeding. During the time of teething, there is more excitement in the lead than before-more tendency of blood in that direction, and therefore more restlessess and danger of spasses. The abectinableven, murderous-practice of botteing infants' heads in cold under, may be justly blamed for many a case of brain disease, and consequent death. The water wot on a child's boad should always be segreer than that with which the body, and especially the limbs, are bathed.

Conventions in children are nearly always preceded by a sensible increase of heat in the head, and a corresponding coldness of the feet and hands. There are generally startings in sleep, grinding of the teath, and great wakafalance, or uncommon staper. I convent here stop to describe the various forms of convuluous, except as indicated in the connections below.

Hot Water, upon the first appearance of heat in the head; apply this with cloths, for five minutes; or leave the wet compress on, covered with day framel.

Application to be said overly fee been

If the child has enten come rich and indipatible food, and sooms sick at the storagh, put your finger down its throat, so as to provoke remitting.

Aconite, when there is high fewer, skin hot over the whole body, and great thirst.

Dom every hours

Belladenes, when there is much heat in the head, flushed face, and end hands and feet, or when there is dilated popul, and great nervous exminarent; or when the door, fails to reduce the here after two so three team.

Done level hour,

In own a spasm comes on with the above symptoms, give the Bell, (ii) it ceases

Desir services minutes.

Chamomilla, when, during speed, there is a great jecking in the muscles of the face, standing of the bands, reduces of one shock, and leasures of the bowels.

December on trianing

Nux Vernica, when the space has come from some indigestible food, the shild has been collecty, and constituted in the bowels, and when it is inclined to head in head backward, and to stiffen its limbs during the space.

Don overy Auf Asses.

Alcohol, or Borndy or Whisty, may be used with great baneful, in the absence of the other remedies.

Dur, meany imper of Alcohol, or half a temperature of Bready or White, in a interpretated of Wales, many half hom-

Children under twelve should take half that amount.

In all cases of speems, the most self-possessed perion present should take the child, lay it upon a lad, without any elevation of the head, one that an part of the draw is tree tight; propers and eliminater the remains as already directed. Appending the shild yet more, by carrying it about or plunging at into a bot bath, as a paradicious practice. No application of water, except hat to the head, or odd to the entresities, can be recommended. One that cames not of a square with ice to the lead, or with the feet in bot water, would do so better without those means.

For farther remedies than those manual, I must rolle you to a competent physician.

TEETHING.

Some children out all their teeth without any smalles disturbance of health, while others are hardly ever well from the beginning in the end of teething. The plan of cutting the game as even as the form of a touth can be seen, is bad; for, unless the teeth comes immediately through, the sex heals, thereby forming a tough sear, through which it has to force its tedious way. When the edge of the touth looks white along the gum, and there is a disjurbance of comfort or health, a slight cut with a knife, or a rub from the mather's thirstale, will see from the strangling prisoner, and end all trouble.

The following remedie may be called by, in case where everal tests are pressing forward at same, a whole a relial is to be obtained by cutsing the gum: Accente, when there is high fever, fall, rapid pulse, and flushed face.

Dan every they have been

Belladenna, when the Acon. fidls to break the fever after two doos, or there is great peryonness, best in the head or threatening sparms.

Don every hour.

Chamoutilla, when the bowsls are loon, there are greenish-colored stools, startings and jerking of the muscles of the face during sleep.

Don mery hour.

Delcamara, when Cham, falls, and the distribute continues, with heat in the spine, and great restlowness.

Durway their house.

When there is at the same time fever, the Aconmay be given alternately with Chem. or Dule,

David on hour nymet.

Ipecac., in alternation with Bell, when with the symptoms calling for Bell, there is also naises or yamiting.

Donners have spare

Hot Water. When the month stems hat, and the genes logisty inflation, relief may be absoluted somewhat by weeking and religing them with this article.

ORYING AND SLEEPLESSNESS OF INFANTS.

I could not send forth this little volume, Selling that I had done justice to the oberished little ones of overy household where it may be consulted, did I not, under the shove heads say a word or two.

An infant soldom eries much, unless it is hungry or in pain. Whether it he hungry, the modies or more can readily judge. If it is in pain, it is so from ill health, and therefore requires appropriate remodies.

An infant solden is wakeful beyond what is common, unless it is the subject of some disease.

A more irrational and permissions practice has never pained wide-spread favor, than that of desing every infant that cries much, or that is very wakeful, with narcotic drops, cordials, and scothing syrups. The mother who purchases quietude in her nursery by such means, often brings thorn the quietude of death, or is alterward pained to see her children grow up weak-minded men and women, and fit vectories of the cup.

Instead of the brain-congestion and stoper, in which only the sense of pain is temporarily drowned, while the disease remains untouched, rafiel by proper curatives should be sought; then crying and desployment will be some. If the troubles come from Tothing, see the chapter on that subject; if from Chile, on the chapter on that subject; if from Chile, on that subject.

When they rome without any perceptible cause, the following remedies may be given, to allay the nervous excitament:

Belladonna, Chamomilla, or Nux Vomlea.

Discounty too hours.

A mother, or nurse, or any person having hand belings noward the shill, and a decided purpose, may make and consider by gently passing the hand down from the top of the head, along the back of the neck and spins, to the feet, or from the forehead over the complex check, and breast, to the feet or by pressing the open hand gently on the head, or jot of the stomach, or on the abdomen.

RHEUMATISM.

The pularid affection solder fails of robot, and that ipperly, under becompatible treatment. The only form of it he which I have wish specially to provide, in the fortunessings. This is characterical by favor, severe pulse, and often extreme wanum in various parts of the body.

Aconite, whim the pulse is full and rapid, and

there is thirst, and the painful parts are het and

Dott saving the Assets.

Bryonia, when the painful parts are very sore, swollen, and roddened; when the pains are made women by motion, and the temper is control white or yellow; especially when there is disturbance of the stemach, and constipated bowels.

Duranto de las Borra-

Arnica, in case Bry. has failed to relieve, and there is much tendernous, as from a braine.

Don every bear.

Rhus Rad., when the pains are made better by motion and are worse at night, or when at rest; when the painful parts feel sufficied and paralyzed, and especially when the attack is from the sudden suppression of some rash or eruption.

Duz omry hio hints-

Aconite may be given in alternation with either of those remedies, in case there is much general fever.

Dome to Kent sport.

Belladonna and Nax Vennira often relieve, when the present is stout, accustomed to out and drink improductly; especially when there is indency of blood to the head, or the pains come and go sublenly; in niternation.

Done has hours apart.

The application of raw cotton to the palaful parts, keeping it bound taghtly to them, affords protection and favors recovery. All subbing in this disease, as is common with "Pain-hillers" of various kinds, is worse than motion. In place of doing good, the attack of Illiaumation is frequently thereby prolonged and aggravated.

HEARTBURN-WATER BRASH.

This is possible to persons who are more or less dyspeptic. It may occur, from special sames, to those who are not generally subject to indeposition. For immediate relief, I know of no remedy of more value than

Vinegar. This should be of the best quality, and taken half a temporatul at a time.

Dore surry four-

As a general thing, one does is sufficient for relinf, and then takes remedies should be employed to overcome the dyspopule condition.

Bryonia, when the food cises into the month with a bitter base, and there is boundarie, finded

from and dirrings, with chilliness and feelings of heat alternately.

Dine carry four board.

Arsenieum, when there is much burning at this pit of the stomach, thirst, and sociational national with sociation of the bowsh and griping police.

Don very two loans.

Nux Vomira, when the indeposition has arisenfrom indulgence in liquors or boors, or the use of fruits or vegetables, and there are riftings or smetatines of wind, a foul tasts in the mouth, and constipation of the bounds.

Don every four hours.

Pulsatilla, when the trouble has come from using fat or growy food, or rich pastry, and there is more of a tendency to diarrhou; openially when there is any scremum in the month.

Don't mary four hours.

Nitric Acid, when there is much acidity, burning, and openially if the tongen is sore, with little whate ulerts.

Done with and severy

Persons subject to indigentian should drink little or no liquid while sating and for no lour after. Still wines such as Outcode, Counsel, Delicare, Ottolog, Iso' Securing, or the White, su place of tea

and coffee, are good, represilly if there are acid eracutions. Softs, externion, time-writer, and all other alkaline substances, should be totally distarded, for they distarcy the lining much man of the stomach, and frequently make Dyspopeis perfectly incurable.

CONSTIPATION OF THE BOWELS.

Judging from the ample prevision made by the old schools for this state of the bowels, one would suppose it to be the cause of all the vills that flesh is hear to;" whereas, in truth, not once in a hundred cases of sickness in which it exists is it any thing but an effect, and that quite a harmless one, of the disease. The learning and ingenesty of the nedical profession have been taxed, variously, to more the lowels; and yet moving the lowels has in ninety-nine cases out of a hundred, no more to do in caring the patient than would cutting off his fingers and ton. I am happy here to record the fact, that our brothren of the old schools are learning, from our moons without "physic," that it is a loss of material and of time to be scrubbing and torruring the bowels, because they are put in a state of temporary not by disease. It will be better still when they learn how to remove the descript in order that the bowds may act in usual, under the

guidance of kindly Nature. Constipation, if it occurs to percens who are not confined to their hole or rooms, as usually the result of inaction on the part of the stream's or liver, and calls for attention to them. When it occurs to these in hol, or contained to their rooms, it is merely a part of the guarant torper and want of action which pervades the system, and node to a sparato treatment. In all case the dist should be shielly or untirely of fruit and vegetables and essess bread, such as are not in themselves binding to the howels. For treatment, I refer you to a physician

I may, however, here mame some remedies, which

often sure if rightly med:

Nex Vemica. A dose every mersing, on rising; and

Opinm. A down overy night, before retiring

Use them for a work, and then change many the Mus. Poss, at night, and the Opinsa, in the morning.

Make effort for a movement at a fixed hour every

morning.

PILES.

The gain caused by this affection may often be promptly relieved by bathing the parts in the author, and lying down. Nex Ventice, when the person is of a continu

Disse carry Willia Assess.

Arsenfeam, when there is more of a bondency to discrime, and when there is great heat and burning in the parts.

Escalus Hippo, a a new and valuable remody, chiefly useful in cases where Nur Vew. is indicated, but foils.

For radical treatment of this poinful affection, I much refer you to a physician.

SEA-SICKNESS.

This affection, often distressing to the traveler as well as the voyager, vequires some ready means of rolled. Esting lightly just before and while under way, may help the matter some

Nux Vemica should be taken just before starting, then, in use of gibbliness, neusra, or vemiting while in motion, a dose of

Cocculus should be taken, and continued in alternation with the New Voys,

Janua free Ames, system.

Veratrons, in case the vamiling continues after the use of New Year, and Consider.

Disse storp have.

The middle part of a vessel or car being subject to the least up and down motion, is the best for those having this eickness; and lying on the back is the best position.

BLEEDING OF THE NOSE.

Various are the cancer of this flow, and various therefore must be its remedies. When it is but alight no interference is required; when ten profuse or of too long continuance, use the following remedies:

Acouste, when there is considerable excitement of the pulse, hurried breathing, and het dain.

Does may kelf him.

Belladonna, when there is great heat and follness in the head, or the bleeding has come from stooping or being overheated.

Door mery half hear.

PalsatiHa, when the bleeding comes from a sudden suppression of the measure or an insufficient flow during the countriest period.

There yearly from America.

Either of the remedies believe manual may be taken alternately with Pole, when that remoly is indicated.

Done on how sports

When the blood congrelates or thickens in the neutril, be careful not to dislodge it for several hours, or clee renewed flow may be provoked. Never apply cold water or see to the nove, except just long enough to induce congulation, or they will same a contion, in which there is an increased tendency of blood to the head, and a consequent continued blooding.

FLOODING-UTERINE HÆMORRHAGE.

This nearly occurs during child-hirth or a miscarriage, and requires very careful management. If it comes on in the early mouths of pregnancy, a physician should at once he consulted, as some manipulation, which only a shillful hand our perform, may be required. And the person should at once its down and keep quiet, using, for the time, the remains mentioned below. If it occur after a miscarriage or the furth of a child, in the absence of the physician, remove the pillow gently from under the patient's head and administer the following remedies:

Bellaslanua, when there is a rapid, yet full polic, bearing down pains, and a copious flow, coming at intervals

This every heady intends.

Ipocace, when the flow is more continuous, the

pulse not so full, and there is muses, or a disposition to faint on rising up.

Don every prints minute.

If the flow continues free, after four does of the Ipeac,, give Bell, in alternation with it.

Dome ter man tre agent.

Alcohol, Erossly or Whisty may be coquired. (See directions for their use in chapter on Spitting Blood.)

Mell and Tpecce, in my hands, have been efficient in the worst cases of aterine beamorrhage, in connection with proper manipulation. Other remains (such as Chara, Heyerica, etc.) are often required to complete the restoration of the patient, but the Hell, and Tpecce, will remove the immediate danger, and give time for gompotent medical aid to be brought.

CHILL IN CONFINEMENT.

The most review effections that a mother experience during confinement are the which generally begin with a chill. It is therefore, all important that a shill should be investigately broken below the much of inflammatory troubles can be in Cover the patient well and give first.

Campbor, when the shill as you on.

And read the section.

Aconite, when the chilliness or goes, and there is great heat all through the body, thirst, and a very rapid, full pulse.

Disaccerry half hours

Pulsatifla, in alternation with the dead, when there is a sublin suppression of the flow.

Done half an ham apart.

Belladonna, in alternation with the Acon or the Pols, when, in addition to the symptoms calling for one of those remedies, there is great heat in the head, or headache, flushed face, or delirium.

Donn Auf an Auer apart.

Bryonia, when, besides headache, there is cornous all ever, fever, with occasional rhillings and personnation.

Done overy his hours.

Nex Youden, in alternation with Ball, when there is constitution, pains in the abdomen, sudden jerkings or tremblings.

Dissert from hours aparel.

Warm drinks, such as weak black tea, may be taken freely. For farther remedies, excurres must be lack to a physician, who, in all such cases, should be immediately summoned.

ENGORGED BREASTS, ETC.

Chills teasuring in shild-had or while nursing,

may result in a hardness of one or bith breasts, inflammation, and even absense.

After coptying out the milk, as much as possible, breaking the chills, and subraing the faver, (see pressling chapter,) the following remedies may be used.

Hot Water. Apply by a compress, covered with dry flannel.

Brane way tour.

Bryonia, when there is great stranger and redness of the breast, and there is acking in the shoulfers and back, with brothche, white-coated tongue, and constipated lowels.

Descrive his hours.

Belladonna, if the face is greatly durhed, bendnche very severe, and no relief in four or six hours from Bry.

Done street hours

Hepar Sul., in case an absens is formed in the breast, especially when it is open and discharging.

Day cary four hours.

Every effect must be made to draw the milk out of the breasts while it is possible.

SORE NIPPLES.

I may be excessed if I extend the copy of my

book a little to notice this trouble, which, though not particularly diagreese, is yet very painful, and generally quite unmanageable by domestic means.

Before confinement, the mether should, every day, thoroughly balls the brensts and nipples with cold water to make them strong and tough. When the child begins to nume, make a solution of Armies tiest, one part and nine parts of water, and such time after nursing wash the nipples with at. Should they become tore, make a solution of pure brandy, one part and three parts water, and apply each time after nursing. If in four or five days the scremest is not relieved, make thimble-shaped cups of been-wax, large enough to put over the nipples without pressing the only and each time after nursing wash the nipples in pure her water, and pur the supe on so that they will be kept in place.

At the same time take Hoper Sel.

Downight and morning.

SUPPRESSION OF MENSES.

Acouste, when, after taking ends, there is a emiden suppression of the dow, with some ferer.

It- cory home,

Pulsatilla, when Acon. Luis, after two dones in restore the flow, especially if there is much pain in the back and lower part of the alideman.

Don stury has fourt.

Belladonna, in observation with Pulls, when there is a great tendency of blood to the bead, now blood, deliciting or severe handsche.

Donn on boar agent.

DELAY OF MENSES.

When, without programey, and from no incrediate cold, the mores delay for days or weeks, it may be necessary to consult a physician.

The following remolies, however, may be suffi-

cient:

Cold Water, applied to the lower limbs from the hips down away morning, followed by broke rubbing and exercise by walking or stamping the foat on the liver: together with

Pulsatilla, when the person is subject to indisposition, has a nallow complexion, leavorrhow, or

unuary troubles.

Date night and namency.

Belladonna, with the cold more, when the face is flushed, headathe, and now blest!

Donniski mi morninga

TOO EARLY AND TOO PROFUSE MENSES.

Rhus Radi, when the mensional period return to often or is too profuse; so, during the intervals,

Door may night, it

Chamomilla, when the flow is dark-colored or in lumps, and the person is very irritable to nervous. Date every few boots

DROPSY.

This affection, characterized by a pale, and generally paintees swelling, which pits under the finger, comes from a variety of causes, and require the knowledge of a physician for its proper treatment. The following remedies may be useful:

Arsenicum, when there is general dropsy, resulting from childs or the above of quintae.

Duce might and morning.

Chinn, when the swelling has come on after the less of blood or abuse of Arastic.

Door night and morning.

Rhus Rad., when it has come on after some dissame of the skin, or from repelled cruption.

Desa right and asserting.

Sulphur will also be required in case of repulled sruptions.

Done faire a wrot. Cautharis, when the urine is very sceniv.

Done three times a sley.

DELIRIUM TREMENS.

When this terrible affliction comes on, in the absence of a physician, use the following:

Nux Your, and Belladonna alternately.

Don't can or this hours syner,

Hot Water. Let the patient drink freely of this; and, if there is great heat in the head, baths is with hes water every hour.

Capsicum, when the thirst is very great, and there is a constant calling fee liquies; give six frees of the pure timeters, in a tablespoonful of het water.

Dute savry boars

Considers and Belladonna may be used in alternation.

Data his boile ajurti

Acouste and Capsicum may be called for if the pulse is rapid and bounding, with thirst, etc.

Dono on form apart.

FAINTING.

This occurs only in sens tive or nervers persons, and is induced by pain, beligne, foul or confined air, or smottened excitement. When one is discovered to be fainting the clothing should be becomed, and immediate way made to the open air. If the air does not restore commonwess soon, springle the face with cold water; and when that fails, hold a bundler-clief, wet in alcohol so some other stimulating spirit, for a moment to the new, and bothe

the forehead with the same. The following remodies may also be required:

Arsaite, when there is feverishmen or violent pulpitation of the heart-

Done comy half haur.

Belladenna, when there is Ensked face, headache, and a feeling or appearance of blood pressing to the head.

Donners And Asser.

Chamonilla, when there is great exestability, four, and predisposition to hysterical troubles.

Direct left in him sport.

Alcohol, Brandy or Whisly may be used in the absence of the other remedies.

Dom, lendrops of Almbol or Auff is languarded of Brewly on White, in a Salimpoonful of Water.

For proper remedies to overgone the liability to fainting fits, application must be made to a physician.

ACCIDENTS.

SUN-STROKE-EFFECTS OF HEAT.

This comes from too much exposure to the sun during hot weather. For its prevention, all who are thus exposed should wear flanned shirts and high-crowned hats, or such as will allow a large pocket-headkerchief to rest upon the top of the head; and they should frequently, say two or three times a day, boths the head with very warm water. When one is found struck down by the limit, and seems is he in an apophoric condition, refer to the chapter on that affection, and suppley the means there pointed out.

Never put cold senter to the local, but rather upon the fast, if they are disposed to be cald, with rapid robbing, till they are worm.

If Acadasko only is experienced, see the chapter apon that subject.

Brondy or Whisly, in temporalial down, repeated

every half have, may do much good, in the absence of other remodes; but there must not be given if the breath of the present smalle at all of liquor, since the falling and invastibility may have been small by them. And I may have remark, that the use of those higners, we a beverage, predisposes persons to son-strake.

For most other effects of heat, steple time will be allowed for the consultation of a physician.

STROKE OF LIGHTNING.

When one has been struck by lightning, so as to become apparently lifeless, all others toward a restoration are often varie, nevertheless, it become those at hand to locall they can in the case. A roll engely of fresh air should be afforded, all tight clathing removed, and cold water dashed upon the face and branch. Musigue of his appearing, on artificial respiration should be effected, as discoved hereafter in the chapter on Drowning.

If on electrical or calvanic opposition fould be at hand 2 would be well putting the positive pole or electronic as the base of the fresh part of the bond, to pass the felt down the space, and to hold it, for a manufe at a time, at the llawer and of the space and on the about the bot; but this should not be continued after our of the appear. In all cases where it is possible, a physician should be a seasoned at once.

SUFFOCATION.

This may owner from different sauce such as inpercair, preson of the neth, ord cholory by comething lodged in the threat. In the first even, the open, fresh air should be small to in the round, the means of compression, such as repu or cravalmust be removed and in the third, the article in she throat must be dished all The removal of things from the threat must be elferted carefully, to resevent injury, and can best be done with a pair of long, slam fercept; when there are not at hand, the fargors, or a wire best into a houle shape, may be used. If the substance lodged be round to ut a mature are too mugh, and is too far down to be brought up, it had best by formed down by any means at hand evilable by the purpose. When the chalding is not grave, and especially of it is by some article of foot, a good thumping with the flat hand lotwoon the thoulder blades will relieve it. To revive a penun apparently dead from suffication, and where the removal of the cases it will be here to dash cold water men the lass and breast, and this failing, to west to the means of artificial respirathen re-common and in the shapper on Drawning.

If there is a congested purple apparament of the head and face such as occurs in opoplary, refer to the chapter on that subject.

DROWNING.

I can give no directions for the treatment of persons apparently dead from drowning, better than those of the late Marshall Hall:

"Int. Treat the putient instantly on the spot, in the open air, fively expusing the face, nock, and thest to the breeze, except in severa weather.

24. In order to also the throat, place the patient gently on the face, with one wast under the forehead, that all find, and the longue itself, may fall forward, and leave the entrunce into the windpipe free.

*3d. To excite reprintion, turn the patient slightly on his order, and apply some irritating or stimulating agent to the neutrals, as dilute Hartshorn, Compiler, or Alcohol.

" 416. Make the face warm by brisk rubbing, then

dash sold water upon it.

"bills. If not successful, loss no time: but to not not requestion, place the justicest on his few, and term the budy pently has completely as the side and a filly broad. Then now not the face, and so we alternately. Began these more ment, debberately and personality, Aftern times only in a minute. "6th. When the face position is resumed, each time make a uniform and efficient pressure along the quies, removing the pressure immediately lasters retailed on the side.

"7th. Bub the limbs with firm pressure from the extension insured the body.

"8th Salatimas for the patient's wet clothing pleaty of that which is fry and warm. From time to time, to creite improviou, slap the surface of the buly briskly with the open hand.

"9th. Bub the body briskly till it is dry and warm, then dash cold water upon it, and repeat the rubbing."

FROST BITE.

When any part of the body has been frozen, care should be used not to bring it near the fire, or any warming apparatus, also discignization will take place, or the reaction that follows the deadened state will be very painful, if not in itself, also, very destructive. The part should be rubbed with more or bathed in fee-water, to as to control, while it induces, the necessary reaction. Should the reaction, after all, to be great, and the part become very hot and burning lot it be betted in het goler, and Afrohol or Whishy.

CHILBLAIN.

This affection -tdom follows a frost-bite which

less been tracted as above directed, when it does and indeed in most other cases, its pre-present cases is an unbreaking state of the blood, or of the secretions of the body. For present relief, full materials Africkel equal parts, applied to the effected parts, a the boundary and appears. Vinceum of Armion, and more appetially fracture of Urnica Urnica one part to three of water, will destroy the technique and burning. But as the effection may consider a result in trouble come also affection may consider a result in trouble come also affection may consider a set in not along other a bond one, recovers about the land to a physician for a more residual treatment.

BURNS AND SCALDS.

A burn or wald a more or loss dangerous, according to its founding and extent. The adjection of important expens, to which they may give rise forward very moveful management, and require the skill of a physicism. The best application to a partitlet has been burned or walded in hel under. Apply raw colten with hel water, led it to resturned a freed with hel water, with the burning radical, avery filters minutes, till the burning or maintained than he is he simply loops from dry or little part is well. The fraction of these Divon, powered as directed for to bloom, may be applied to the collections.

time of the fire application, not to let the affected part to for one instant expected to the air.

Alenhal, or Irrandy or Wholey bound be send in case of an extensive here, when there is favor, delirious, or rapid sinking of vidality.

Demokrat is the property of Amelia, or a temperature at the property of a temperature of Water, every boar,

Almini one part and earn unter five parts,

Girlon Oil, such as is most in lumps, or the crude, as taken from the ground, is the best for application, where the bose or reald is small, or on a farger, or other part, where a mater compress would be inconvenient.

Wet a piece of soft mindle in it and wrap it cloudy upon the injured part.

STINGS OF INSECTS.

The sting of a bear wasp, or other insect, when not productive of much pain so inflammation, requires no special treatment. When remotes are required, the application of allowed or the timeture of Armed to the pure affected will be of service. When there is much inflammation and overling, but notes about to applied by a compact, treatment overy half from: Some insects burrow under the skin, and others make a puncture, into which they deposit their eggs, making thireby very grisvous series sometimes. A good remedy for these is to rub with lard or a bacon rind every day.

ENVENOMED BITES.

When one has been hitten by a social day or a secondar serpent, dry heat should be directed upon the agur, where the skin is broken, by a red has from, or any other means that may be as hand. The heat should be applied constantly for an hour, or until the patient begins to shiver, then removed. At the same time that the heat is applied, whicky should be drank fixedly, till the stomach seems ready to reject it. When the treatment has gone thus far, time can be taken to summon a physician. Usually after the sleep indicated by intoxication, the patient recovers without farther trouble.

RUPTURES.

These generally take place at the navel or in the group and require the attention of a physician, But last the postrucing intestine become strangulated and inflamed, it is necessary to have it returned with all possible basis. If the support is at the navel, it is easily related by common pressure; the patient lying on his back. A prof, the inche in diameter, musts of stiff pasted-band, covered with mustin, should be kept upon the navel by a handage passing around the body. If the rupture he in the groin or down into the scrotum, the patient must be placed upon his back, with his head and shoulders low, horts used hips reason. Gentle but firm pressure must then be made from the lowest part of the tumor up toward the abdomen. If the intention is not soon returned, it is latter to denot from farther efforts till the arrival of a physicism. Stocké the first offerts prove secondal, keep the patient on his back till a suitable true is provided and applied by a physician.

CONCUSSIONS.

When a person has received a violent convenient of the load, or any part, the finature of dresses, one part to three of cold water, should be immediately applied to the parts that have been bruised, by means of a compress of master or raw cotton, severed with dry financh. This should be received every half bour, till sensibility and heat return. At the same time,

Arnies should be prepared and administered by pouring into the month.

Line viery half half.

If the head has been the man of chief injury, and there is apparent suppration of the brain, stoper, definit breathing, etc., refer to the chapter on Apoplary. Should there be "convolutions," multimentions be the man when children are injured, man to the chapter on that which.

For other and the more leating effects of commusion, a physician seed prescribe.

BRUISES.

In all cases of injury by a fell or a blow, where only the dashy parts are implicated, Armon timeters should be applied, prepared as Sillows. When the skin is not looken, one part to three of cold outes and when the skin is broken, one part to nine of cold outer. This application should be made with a compress of modes or raw rotten, and be renewed every half hour. But if reaction has taken place before any application is made, and the injured parts are inflamed and atvolver, with the proportions of fraction named above. At the same time the Armon instance is externally applied, Armon should be administrated internally.

Day very town

SPRAINS.

Troubles of this character, when not properly at-

tended to at the output, and constitutes were than discontinuous or fractures. As once as possible after the returnshees of a present the part effected should be wrapped in clothe wet in a solution of Armon function, one part to three of cold sodes. The wrapping should be were alread every hour. As in branch, so here, if inflammate a loss arisen, the application must be het and not cold. Should the part alterward by painful and lame,

Rhus Rad, may be taken.

Date every post torres.

And a relation of the same, one part to five parts of water, may be applied externally. As disloctives are corretions messaling for more sprains, it will be well to have the attention of a physician, when there is any room for doubt as to the real nature of the injury.

DISLOCATIONS.

These can sold on be reduced without expected aid, yet rands one be done to have the parts in a good don little for that operation, and to make the patient more exalterable till the empton arrives. Put the limb is a position or parties one, and wrop the joint in the manner directed for the irrainance of approxima-

Samatimus a wrist or allow, an andda Ring, -

even a shoulder, may be get in place by a strong pulling or extension of the parts.

Unprofessional persons would be justified in undeing the attempt, provided they were entirely seen there was no fracture, but only a dislocation.

FRACTURES.

I may say pretty much the same of these as of dislocations; put the parts at rost gently, and apply the solution of Arwest; then send at once for a surgoon.

BLEEDING FROM WOUNDS.

When only smaller vessels, or the veins, are cut, the flow of blood is easily checked by the pressure of a compress wet with cold scaler. When an arrany is cut, the blood is of a bright red color, and muss out in jets, corresponding an time with the beam of the pulse. The most dangerous hemotrhage always comes from an artery; and it is therefore important to know how it should be checked, in order to save his till the arrival of a surgion. It must be remembered that much more pressure is required to stop the blood in an arrany than in a yein.

Let When the wound is on the head or face, a hard comprass, tightly bound, may suffer to chack all blending.

Me when an artery in any part of the arm or land is cut, the surest method of stopping hemorrhage is to grasp the flesh of the arm on the upper side, at a point half way from the allow to the shoulder, or higher if zecessary to be above that wound, and hold it firmly. The grasp should take in as much of the flock of the arm as provide, leaving the ends of the fingers and thumb above the bone. Or a hard roll of cloth, or a bull, or a provide may be placed upon the same part of the arm-upper and front side, and bound there tightly by a strap or hardage.

ild. When an artery is out in any part of the lay, strip away the clothing from the thigh and groin, and feel just in the green, till you find the pulsation of an artery under your Super; then grass the lag in such a way that the thumbs will rost upon the artery just below, or in, the grain. Or a hard wall of clith, or a ball, or a potette, may be placed at. the point where the thumbs should be, and bound

tightly there.

CUTS AND LACERATIONS.

Before beinging the edges of a ent or heierated wound togother, see that there is no dirt or other foreign substanor in it. When it is nicely closued, bring the edges of the wound together gently, and

If there is yet some blooding, apply narrow strips of all-says plaster across it, in such a way as to he ep at together; then apply a compress of Galerolata, or, if that is no at based Armon, one part timeture to five parts of a lot order, and keep it was it there is no hamorrhogs, strips of the court planter will be better than those there. The strips could always be got so far apart as to allow any matter that may form to escape fruity.

POISONS, AND THEIR ANTIDOTES.

Is all case of poisoning, offerts should immediately to made to cause ventiling, so that any persion of the destructive agent which may be not in the standard will be expelled. This can be effected by any his a of country, but generally the resident means will be emulated users, which can be prepared by putting a temporabil of ground mustard into half a pint of warm water. This should be swallowed family, and then as much balls warm water drawk as possible. The vontiling should be kept up till the stormets is thereughly curpued.

In all cases the nearest physician should be seen moned; but that we time he had, the following antidates may be employed:

For Acids,

Such as didphuris, Notes, Marjoris, Octile, Phopherio, Person, et Archie.

Taka magnesia, cheth, note mbertha, se monte

maker, mix in warm water, and let the mixture be smallowed burtily. If prunic acid to the poison taken, let large quantities of strong copic he drank, and sold scaler dashed upon the back.

For Alkalies and Earths,

Such as Lime, Chustia Potash, Oxelounts of Potash, Pol and Peurl Ash, Hurtshoon, or Assessia.

The realisst antidote is consear. Let half a tenspondial he taken every two minutes, for twenty munutes, or longer, if the preson has been taken in a large quantity.

Sweat oil flax-sed oil, or, indeed, any kind of common oil, freely taben, will be of service.

For Alcohol, or Spiritness Liquers.

After a thorough somiting, give with or strong eagles firely.

For Arsenic.

After vorsiting, gave freely of the white of eggs in sarras mates, or of scap-scale.

For Bitter Almonds or Peach-Kernels, Large draughts of strong coffee.

For Copper and its Compounds.

White of egyr in warm water, or ought unfer.

For Corresive Sublimate.

White of eggs in warm water; anger water; starch in warm water, or milk.

For Poisonous Gases or Vapors.

Plenty of fresh air; coppens showers of cold water; vinegar applied to the neutrile and face.

For Lead or its Salts.

White of toys in warm water; susp water, or will freely drank.

Narcotics,

Sach as Opram, Landemum, Parigorie, Morphine, Belladonna, Brantonium, etc.,

Excite comiting at once | then give large draughts of the strongest eagler, and here the patient in motion, so that he cannot sleep.

Phosphorns,

Large draughts of strong coffee, or sequests, or chalk, in warm water.

Mercury.

White of eggs in warm mater; milk, or wheat flore in warm water, frosty drank-

Vitrial-White, Blue, or Green.

White of eyes in wirm waters were subs-

I have thus bridly referred to those articles which more commonly than others, are the manuof potentiage.



